Diaphragm seal with flange connection With internal diaphragm, threaded design Model 990.41, large working volume

WIKA data sheet DS 99.32



for further approvals see page 7

Applications

- Aggressive, contaminated or hot media
- Chemical and petrochemical industries
- Oil and gas industry

Special features

- Flange with internal welded diaphragm
- Wide temperature application range due to large working volume
- When special materials are selected, all wetted parts are made of the selected material
- Integrated flushing connections (optional)



Diaphragm seal with flange connection, model 990.41

Description

Diaphragm seals are used for the protection of pressure measuring instruments in applications with difficult media. In diaphragm seal systems, the diaphragm of the diaphragm seal effects the separation of the instrument and the medium. The pressure is transmitted to the measuring instrument via the system fill fluid which is inside the diaphragm seal system.

For the implementation of demanding customer applications, there are a wide variety of designs, materials and system fill fluids available.

For further technical information on diaphragm seals and diaphragm seal systems see IN 00.06 "Application, operating principle, designs".

The model 990.41 diaphragm seal is ideally suited for applications with small process connections. Due to its design, with an internal diaphragm, accurate measurements are possible even with small flange connections.

By means of optionally available flushing connections, the process side of the flange can be cleaned and flushed as required.

Assembly of the diaphragm seal to the measuring instrument may be made via a direct connection, for high temperatures via a cooling element or via a flexible capillary.

For the material selection WIKA offers a variety of solutions, in which the upper body of the diaphragm seal and the wetted parts can be made of identical or different materials. The wetted parts can, as an alternative, be coated.


Page 1 of 7



Specifications

Model 990.41	Standard	Option
Level of cleanliness of wetted parts	Oil and grease free per ASTM G93-03 level F WIKA standard (< 1,000 mg/m²)	Oil and grease free per ASTM G93-03 level D and ISO 15001 (< 220 mg/m²)
Origin of wetted parts	International	■ EU ■ CH ■ USA
Sealing	■ FPM (max. 200 °C) ■ PTFE (max. 260 °C)	 Statotherm® (max. 400 °C) Metal C spring, silver-plated stainless steel (max. 400 °C) Metal C spring, Inconel (max. 400 °C)
Flushing connection	-	 Single flushing connection (G ¼, G ⅙, ¼ NPT, ⅙ NPT) Dual flushing connection (G ¼, G ⅙, ¼ NPT, ⅙ NPT) Plug screws
Connection to the measuring instrument	Axial adapter	Axial adapter with G ½, G ¼, ½ NPT or ¼ NPT (female)
Type of mounting	Direct mounting	CapillaryCooling element
Retainer parts	Stainless steel	-
Design per NACE	-	■ MR 0175 ■ MR 0103
Vacuum service (see IN 00.25)	Basic service	Premium serviceAdvanced service
Diaphragm seals for mounting to zone 0	-	With flame arrester and PTB certificate
Instrument mounting bracket (only for capillary option)	-	 Form H per DIN 16281, 100 mm, aluminium, black Form H per DIN 16281, 100 mm, stainless steel Bracket for pipe mounting, for pipe Ø 20 80 mm, steel (see data sheet AC 09.07)

Example: Diaphragm seal model 990.41 with mounted pressure gauge



Process connection, flange

Standard	Flange size	Sealing face			
		Standard	Option		
Following DIN EN 1092-1	DN 15	Form B1	Form B2 Form C (tongue)		
	DN 20		Form D (groove)		
	DN 25		Form E (spigot with form B1) Form E (spigot with form B2) Form F (recess with form B1) Form F (recess with form B2) Form G (O-ring spigot) Form H (O-ring groove)		
	DN 40				
	DN 50				
Following ASME B16.5	1/2"	RF 125 250 AA	RFSF Flat face		
	3/4"		Small tongue Large tongue Large male face		
	1"				
	1 ½"		Small male face Small groove		
	2"		Large groove Small female face Large female face RJF groove		
	2 1/2"				
Following JIS	DN 25A	-	RF 125 250 AA		
	DN 40A				
	DN 50A				

Further flanges and options on request


Material combinations

Upper body of dia-	Wetted parts	Maximum permissible		
phragm seal	Lower body of diaphragm seal ¹⁾ and sealing face	Diaphragm	process temperature ²⁾ in °C (°F)	
Stainless steel 1.4404 (316L)	Stainless steel 1.4404 (316L)	Stainless steel 1.4404 / 1.4435 (316L), standard version	400 (752)	
	Stainless steel 1.4539 (904L)	Stainless steel 1.4539 (904L)		
	Stainless steel 1.4541 (321)	Stainless steel 1.4541 (321)		
	Stainless steel 1.4571 (316Ti)	Stainless steel 1.4571 (316Ti)		
	ECTFE coating ECTFE coating		150 (302)	
	PFA (perfluoroalkoxy) coating, FDA	PFA (perfluoroalkoxy) coating, FDA	260 (500)	
	PFA (perfluoroalkoxy) coating, antistatic	PFA (perfluoroalkoxy) coating, antistatic		
	Stainless steel 1.4404 (316L)	Gold plating	400 (752)	
	Stainless steel 1.4404 (316L)	Wikaramic® coating		
	Hastelloy C22 (2.4602)	Hastelloy C22 (2.4602)	260 (500)	
	Hastelloy C276 (2.4819)	Hastelloy C276 (2.4819)	400 (752)	
	Inconel 600 (2.4816)	Inconel 600 (2.4816)		
	Inconel 625 (2.4856)	Inconel 625 (2.4856)		
	Incoloy 825 (2.4858)	Incoloy 825 (2.4858)		
	Monel 400 (2.4360)	Monel 400 (2.4360)		
	Nickel 200 (2.4060, 2.4066)	Nickel 200 (2.4060, 2.4066)	260 (500)	
	Titanium class 2 (3.7035)	Titanium class 2 (3.7035)	150 (302)	
	Titanium class 7 (3.7235)	Titanium class 7 (3.7235)		
	Tantalum	Tantalum	300 (572)	
Stainless steel 1.4435 (316L)	Stainless steel 1.4435 (316L)	Stainless steel 1.4435 (316L)	400 (752)	
Stainless steel 1.4539 (904L)	Stainless steel 1.4539 (904L)	Stainless steel 1.4539 (904L)		
Stainless steel 1.4541 (321)	Stainless steel 1.4541 (321)	Stainless steel 1.4541 (321)		
Stainless steel 1.4571 (316Ti)	Stainless steel 1.4571 (316Ti)	Stainless steel 1.4571 (316Ti)		
Duplex 2205 (1.4462)	Duplex 2205 (1.4462)	Duplex 2205 (1.4462)	300 (572)	
Superduplex (1.4410)	Superduplex (1.4410)	Superduplex (1.4410)		
Hastelloy C22 (2.4602)	Hastelloy C22 (2.4602)	Hastelloy C22 (2.4602)	400 (752)	
Hastelloy C276 (2.4819)	Hastelloy C276 (2.4819)	Hastelloy C276 (2.4819)		
Inconel 600 (2.4816)	Inconel 600 (2.4816)	Inconel 600 (2.4816)		
Inconel 625 (2.4856)	Inconel 625 (2.4856)	Inconel 625 (2.4856)		
Incoloy 825 (2.4558)	Incoloy 825 (2.4858)	Incoloy 825 (2.4858)		
Monel 400 (2.4360)	Monel 400 (2.4360)	Monel 400 (2.4360)		
Nickel 200 (2.4060, 2.4066)	Nickel 200 (2.4060, 2.4066)	Nickel 200 (2.4060, 2.4066)		
Titanium 3.7035	Titanium class 2 (3.7035)	Titanium class 2 (3.7035)		
Titanium 3.7235	Titanium class 7 (3.7235)	Titanium class 7 (3.7235)		

Further material combinations for special process temperatures on request

¹⁾ The lower body of the diaphragm seal is optionally available with up to two flushing connections. 2) The maximum permissible process temperature is limited by the joining method and by the system fill fluid.


Flange connection following DIN EN 1092-1, form B1



DN	PN	PN Dimensions in mm (in)					G ₁	x	
	in bar	Mb	D	b	d ₃	f	k		
15	16	89 (3.504)	160 (6.299)	36 (1.417)	45 (1.772)	2 (0.079)	65 (2.559)	M12	4
	100		150 (5.905)	32 (1.26)			75 (2.953)	M12	
20	16		160 (6.299)	38 (1.496)	58 (2.283)			M12	
	100		150 (5.905)	33 (1.299)			90 (3.543)	M16	
25	16		160 (6.299)	36 (1.417)	68 (2.677)		85 (3.346)	M12	
	100		150 (5.905)	32 (1.26)			100 (3.937)	M16	
40	16		160 (6.299)	35 (1.378)	88 (3.465)		110 (4.331)	M16	
	100		170 (6.693)	38 (1.496)				125 (4.921)	M20
50	16		165 (6.496)	35 (1.378)	102 (4.016)			M16	
	100		195 (7.677)	28 (1.102)			145 (5.709)	M24	

Further dimensions and higher nominal pressures on request

Flange connection per ASME B 16.5, RF 125 ... 250 AA



DN	Class	Dimensions in mm (in)					G ₁	x		
		Mb	D	b	d_3	f	k			
1/2"	150	89 (3.504)	150 (5.905)	37 (1.467)	34.9 (1.374)	2 (0.079)	60.3 (2.374)	½"-13 UNC	4	
	300			36 (1.417)			66.7 (2.656)			
	600			40 (1.575)		7 (0.276)				
3/4"	150		150 (5.905)	35 (1.378)	42.9 (1.689)	2 (0.079)	69.9 (2.752)			
	300			34 (1.339)			82.6 (3.252)	%"-11 UNC		
	600			40 (1.575)		7 (0.276)				
1"	150		150 (5.905)	32 (1.26)	50.8 (2)	2 (0.079)	79.4 (3.126)	½"-13 UNC		
	300						88.9 (3.5)	%"-11 UNC		
	600			37 (1.467)		7 (0.276)				
1 1/2"	150		150 (5.905)	30 (1.181)	73 (2.874)	2 (0.079)	98.4 (3.874)	½"-13 UNC		
	300		155 (6.102)	36 (1.417)			114.3 (4.5)	3/4"-10 UNC		
	600			40 (1.575)		7 (0.276)				
2"	150		150 (5.905)	28 (1.102)	92.1 (3.626)	2 (0.079)	120.7 (4.752)	5/8"-11 UNC		
	300		165 (6.496)					127 (5)		8
	600			33 (1.299)		7 (0.276)				

Further dimensions and higher nominal pressures on request

Approvals

Logo	Description	Country
EAC	EAC (option) Pressure equipment directive	Eurasian Economic Community
-	CRN Safety (e.g. electr. safety, overpressure,)	Canada
-	MTSCHS (option) Permission for commissioning	Kazakhstan

Certificates (option)

- 2.2 test report per EN 10204 (e.g. state-of-the-art manufacturing, material proof, indication accuracy for diaphragm seal systems)
- 3.1 inspection certificate per EN 10204 (e.g. material proof for wetted metallic parts, indication accuracy for diaphragm seal systems)

Approvals and certificates, see website

Ordering information

Diaphragm seal:

Diaphragm seal model / Process connection (standard, flange size, nominal pressure, sealing face) / Materials (upper body, lower body, sealing face, diaphragm, sealing) / Retainer parts (screws, retainer flange) / Flushing connection / Level of cleanliness of wetted parts / Origin of wetted parts / Design per NACE / Connection to the measuring instrument / Certificates

Diaphragm seal system:

Diaphragm seal model / Pressure measuring instrument model (per data sheet) / Mounting (direct mounting, cooling element, capillary) / Materials (upper body, sealing face, diaphragm) / Min. and max. process temperature / Min. and max. ambient temperature / Vacuum service / System fill fluid / Certificates / Height difference / Level of cleanliness of wetted parts / Origin of wetted parts / Design per NACE / Diaphragm seal for mounting to zone 0 / Instrument mounting bracket / Process connection (standard, flange size, nominal pressure, sealing face)

^{© 03/2012} WIKA Alexander Wiegand SE & Co. KG, all rights reserved.

The specifications given in this document represent the state of engineering at the time of publishing. We reserve the right to make modifications to the specifications and materials.