

# DEWALT®



**WALL AND INTERIOR SOLUTIONS**



## CONTENTS

### FOUNDATION

HAMMERS .....	5
HAMMERS • HAMMER BITS .....	6
CROWBARS .....	7

### ANCHORS

ADHESIVE, MECHANICAL, AND HANGER ANCHORS.....	8
STRUCTURAL ANCHOR SELECTION GUIDE.....	9

DUST COLLECTION SOLUTIONS .....	10
PERFORM & PROTECT.....	12

### FRAMING

NAILERS • CIRCULAR SAWS AND BLADES.....	14
JIG SAWS AND BLADES .....	15
DRILLS.....	16
DRILL COMBO KITS AND DRILL BITS.....	17
HAMMERS • CLAMPS.....	18

### LAYOUT

LASERS.....	20
INSPECTION CAMERAS AND THERMOMETERS • CHALK.....	22

### MEASURING

TAPES • DISTANCE MEASURING • LEVELS .....	24
---	----

### PREPARATION

CHOP SAWS AND WHEELS .....	26
RECIPROCATING SAWS AND BLADES • BAND SAWS.....	27
GRINDERS.....	28
GRINDERS • SHROUDS.....	30
GRINDING WHEELS.....	31
KNIVES • SNIPS .....	32

# GUARANTEED TOUGH.®

## FASTENING

IMPACTS AND IMPACT READY® ACCESSORIES .....	34
SCREWGUNS.....	35
SCREWGUNS • FASTENING HAND TOOLS.....	36

MADE IN THE USA WITH GLOBAL MATERIALS .....	37
---	----

## FINISH WORK

FINISH NAILERS .....	39
FLOORING NAILERS • COMPRESSORS • TABLE SAWS • MITER SAWS .....	40
MITER SAWS AND BLADES .....	41
CUT-OUT TOOLS • OSCILLATING TOOLS AND ACCESSORIES .....	42
CUT-OUT TOOLS • SANDING .....	43
TILE SAWS • SCREWDRIVERS .....	44
ADHESIVE GUNS • GREASE GUNS.....	45

## FLEXVOLT®

FLEXVOLT® TOOLS .....	45
FLEXVOLT® ACCESSORIES .....	50

## SITE CLEANUP

VACUUMS • ATTACHMENTS • FILTERS.....	53
JOBSITE BLOWERS.....	54

BATTERIES, CHARGERS, & ADAPTORS .....	56
---------------------------------------	----

## STORAGE

PORTABLE .....	59
GARAGE.....	60

## FACTORY SERVICE, WARRANTY, AND CONTACT INFORMATION

TOOL & EQUIPMENT REPAIR .....	61
-------------------------------	----

## ADDITIONAL PRODUCTS

DRYWALL SANDING .....	62
ANCHORS AND ANCHOR FASTENING SYSTEMS .....	63
POWERS® FASTENERS BRANCH INFORMATION .....	67



**FOUNDATION**



**GUARANTEED TOUGH.®**

The descriptions, specifications and other claims made with respect to the products featured in this catalogue are made as of the date of printing. DEWALT retains the right to discontinue production of or make changes to any of its products without notice. Product packaging and other product literature should be consulted for current descriptions, specifications and other claims relating to DEWALT products. Changes to products shall not obligate DEWALT to make corresponding changes to products previously manufactured or sold.



# GUARANTEED TOUGH.®



## Compact SDS Chipping Hammer

- 6.3 Amp motor provides high performance and overload protection
- 2.8 joules of impact energy provides powerful chipping



## 1" SDS+ Rotary Hammer Kit

- 8.0 Amp high performance motor
- SHOCKS Active Vibration Control® System reduces vibration felt by the user at the handles
- Rotating brush ring delivers full speed/torque in forward and reverse



## 1-1/8" D-Handle SDS Hammer Kit

- 8.5 Amp high performance motor
- 3.0 joules impact energy for fast drilling and chipping speed
- SHOCKS Active Vibration Control® System reduces vibration felt by the user at the handles

ITEM #
D25330K

ITEM #
D25262K

ITEM #
D25263K



## 1" SDS Pistol Grip Hammer

- 8.0 Amp high performance motor
- Integral clutch reduces sudden, high torque reactions if bit jams
- Compact, lightweight design for comfortable use



## 7/8" Compact SDS Hammer Kit

- 8.0 Amp high performance motor
- Rotating brush ring delivers full speed / torque in forward and reverse



## 1-1/8" SDS+ Combination Hammer with SHOCKS Active Vibration Control® System and E-CLUTCH® System

- 9.0 Amp motor provides overload protection & power
- 3-mode selector allows for easy switching between hammer drilling, rotary only, and chipping only

ITEM #
D25133K

ITEM #
D25260K

ITEM #
D25416K



**20V MAX\* XR® Brushless  
1" L-Shape SDS+ Rotary  
Hammer Kit**

**INCLUDES**

- DCH273 20V MAX\* XR® Rotary Hammer
- (2) 20V MAX\* 5.0 Ah Lithium Ion Batteries
- Charger
- 360° Side Handle
- Depth Rod and Retractable Utility Hook
- Kit Box

ITEM #
DCH273P2

**20V<sup>MAX</sup>  
LITHIUM ION**



**DW5775**



**DW5704**



**Spline Shank Carbide Bits**

ITEM #	DESCRIPTION
DW5704	1/2" X 11" X 16" 2 CUTTER SPLINE SHANK ROTARY HAMMER BIT
DW5710	5/8" X 11" X 16" 2 CUTTER SPLINE SHANK ROTARY HAMMER BIT
DW5715	3/4" X 11" X 16" 2 CUTTER SPLINE SHANK ROTARY HAMMER BIT
DW5721	1" X 11" X 16" 2 CUTTER SPLINE SHANK ROTARY HAMMER BIT
DW5775	3" SCALING CHISEL 3/4" HEX X 21/32" ROUND SPLINE SHANK



**DW5838**



**DW5843**



**DW5961**

**SDS MAX Steel**

ITEM #	DESCRIPTION
DW5832	12" BULL POINT BIT SDS MAX SHANK
DW5833	18" BULL POINT BIT SDS MAX SHANK
DW5834	12" COLD CHISEL SDS MAX SHANK
DW5835	18" COLD CHISEL SDS MAX SHANK
DW5837	2" SCALING CHISEL SDS MAX SHANK
DW5838	3" SCALING CHISEL SDS MAX SHANK
DW5838B10	3" SCALING CHISEL SDS MAX SHANK (BULK)
DW5843	10" BUSHING TOOL SDS MAX SHANK
DW5848B	CLAY SPADE SDS MAX SHANK
DW5961	3" SCALING CHISEL 1-1/8" HEX SHANK
DW5960	20" BULL POINT 1-1/8" HEX SHANK
DW5962	20" COLD CHISEL 1-1/8" HEX

**SDS MAX Carbide Bits**

ITEM #	DESCRIPTION
DW5803	1/2" X 8" X 13-1/2" 2 CUTTER SDS MAX ROTARY HAMMER BIT
DW5804	1/2" X 16" X 21-1/2" 2 CUTTER SDS MAX ROTARY HAMMER BIT
DW5806	5/8" X 8" X 13-1/2" HIGH IMPACT 4 CUTTER SDS MAX
DW5809	5/8" X 16" X 21-1/2" HIGH IMPACT 4 CUTTER SDS MAX
DW5810	3/4" X 13-1/2" HIGH IMPACT 4 CUTTER SDS MAX
DW5812	3/4" X 16" X 21-1/2" HIGH IMPACT 4 CUTTER SDS MAX



**DW5828**

DW5815	7/8" X 8" X 13-1/2" HIGH IMPACT 4 CUTTER SDS MAX
DW5816	7/8" X 16" X 21-1/2" HIGH IMPACT 4 CUTTER SDS MAX
DW5818	1" X 8" X 13-1/2" HIGH IMPACT 4 CUTTER SDS MAX
DW5819	1" X 16" X 21-1/2" HIGH IMPACT 4 CUTTER SDS MAX
DW5822	1-1/8" X 18" X 22-1/2" HIGH IMPACT 4 CUTTER SDS MAX
DW5825	1-1/4" X 16" X 22-1/2" HIGH IMPACT 4 CUTTER SDS MAX
DW5828	1-1/2" X 18" X 22-1/2" HIGH IMPACT 4 CUTTER SDS MAX

# GUARANTEED TOUGH.®



## Wrecking Bars

- Rounded 90° prying end for leverage and prying
- Multiple nail pullers for flexibility and nail removal

ITEM #	DESCRIPTION
DWHT55129	24" WRECKING BAR
DWHT55131	36" WRECKING BAR
DWHT55132	42" WRECKING BAR


## 10" Claw Bar

- Nail digger exposes the head of a flush nail so it can be pulled with minimal damage to the wood
- Extra wide strike surface helps user accurately strike the bar to get under a nail or behind material to pry
- I-beam shaft provides strength without adding weight

ITEM #
DWHT55524



DWHT55129



DCH273P2



Worldwide Leaders of Innovative Anchors and Power Tools  
**NOW UNITED UNDER ONE BRAND:**



**Taking Fastening Innovation To A New Level!**



Pure 110+<sup>®</sup>

AC100+ Gold<sup>®</sup>

Pure 50+<sup>™</sup>

**ADHESIVE ANCHORS**



Power-Stud<sup>®</sup>+ SD2




Screw-bolt+<sup>™</sup>



Power-Bolt+<sup>®</sup>

**MECHANICAL ANCHORS**



Bang-It<sup>®</sup>+

Wood-knocker<sup>®</sup>+II



Hangermate<sup>®</sup>+

**HANGER TYPE ANCHORS**

**New  
Anchors**

**Upgraded  
Data**

**Updated  
Approvals**

**Increased  
Range**

**For more information visit: [DeWALT.com/Anchors](http://DeWALT.com/Anchors)**

	Image	Description	Anchor Diameter	ICC Approvals							UL Approval	FM Approval	Capacity	Cost	Hilti Similar
				Concrete	Cracked Concrete	Seismic	Post-Installed Rebar	Metal Deck	Grouted Masonry	Ungrouted Masonry					
<b>ADHESIVE ANCHORS</b>															
Pure110+®		1-to-1 and 3-to-1 Cartridge - Epoxy Anchor	3/8" - 1-1/4" #3 - #10 Rebar	ICC ESR-3298	ICC ESR-3298	ICC ESR-3298	ICC Pending					3 lbs, 3 lbs, 3 lbs	\$\$\$	RE-500 V3	
Pure50+		1-to-1 Cartridge - Epoxy Anchor	3/8" - 1-1/4" #3 - #10 Rebar	ICC ESR-3576	ICC ESR-3576	ICC ESR-3576	ICC Pending					3 lbs, 3 lbs	\$\$	RE-500 SD	
AC200+™		10-to-1 Cartridge Hybrid Anchor	3/8" - 1-1/4" #3 - #10 Rebar	ICC Pending	ICC Pending	ICC Pending						3 lbs, 3 lbs, 3 lbs	\$\$\$	HY-200	
AC100+ Gold®		10-to-1 Cartridge - Vinyl Ester Anchor	3/8" - 1-1/4" #3 - #10 Rebar	ICC ESR-2582	ICC ESR-2582	ICC ESR-2582			ICC ESR-2582	ICC ESR-2582		3 lbs, 3 lbs	\$\$	HY-70	

## EXPANSION ANCHORS

Power-Stud®+ SD1		Carbon Steel Wedge-Anchor	1/4" - 1-1/4"	ICC ESR-2818	ICC ESR-2818	ICC ESR-2818		ICC ESR-2818	ICC ESR-2966	UL File No. EX1289		3 lbs, 3 lbs	\$	Kwik Bolt 3 (KB3)
Power-Stud®+ SD2		Carbon Steel Wedge-Anchor	3/8" - 3/4"	ICC ESR-2502	ICC ESR-2502	ICC ESR-2502		ICC ESR-2502		UL File No. EX1289	FM File No. 3038795	3 lbs, 3 lbs, 3 lbs	\$\$	Kwik Bolt TZ
Power-Stud®+ SD4		304 Stainless Steel Wedge-Anchor	1/4" - 3/4"	ICC ESR-2502	ICC ESR-2502	ICC ESR-2502						3 lbs, 3 lbs, 3 lbs	\$\$\$	Kwik Bolt 3 (KB3) / KB TZ SS
Power-Stud®+ SD6		316 Stainless Steel Wedge-Anchor	1/4" - 3/4"	ICC ESR-2502	ICC ESR-2502	ICC ESR-2502						3 lbs, 3 lbs, 3 lbs	\$\$\$\$	Kwik Bolt 3 (KB3) / KB TZ SS

## SCREW ANCHORS

Screw-Bolt™+		High Performance Screw Anchor	1/4" - 3/4" (CS and MG)	ICC Pending	ICC Pending	ICC Pending		ICC Pending	ICC Pending			3 lbs, 3 lbs, 3 lbs	\$\$\$	KH-EZ
Wedge-Bolt™+		Screw Anchor	1/4" - 3/4" (CS) / 3/8" - 3/4" (MG)	ICC ESR-2526	ICC ESR-2526	ICC ESR-2526		ICC ESR-2526	ICC ESR-1678			3 lbs, 3 lbs	\$\$\$	Kwik HUS / HUS-EZ

## SPECIALTY ANCHORS

Atomic+ Undercut®		Undercut Anchor	5/8" - 1-1/8" (nom 3/8" - 3/4")	ICC ESR-3067	ICC ESR-3067	ICC ESR-3067						3 lbs, 3 lbs, 3 lbs, 3 lbs	\$\$\$\$	HDA Undercut
Power-Bolt®+		Heavy Duty Sleeve Anchor	1/4" - 3/4" (CS) / 1/4" - 1/2" (SS)	ICC ESR-3260	ICC ESR-3260	ICC ESR-3260						3 lbs, 3 lbs	\$\$\$	HSL-3

## MEP HANGER ANCHORS

Snake+®		Rod Hanger / Screw Anchor	1/4" - 1/2"	ICC ESR-2272	ICC ESR-2272	ICC ESR-2272		ICC ESR-2272			FM File No. 3038104	3 lbs, 3 lbs	\$\$	No Similar Product
HangerMate®+		Rod Hanging Anchor	1/4" - 3/8"	ICC Pending	ICC Pending	ICC Pending		ICC Pending		UL Pending	FM File No. 3038104	3 lbs, 3 lbs	\$\$	KH-EZ1
Vertigo®+ (Concrete)		Rod Hanger / Screw Anchor	1/4" - 1/2"	ICC ESR-2526	ICC ESR-2526	ICC ESR-2526		ICC ESR-2526			FM File No. 3038104	3 lbs, 3 lbs	\$\$	KH-EZ1 / Hilti HUS-EZ I
Bang-It®+		Specialty Cast-In-Place	1/4" - 3/4"			ICC ESR-3657		ICC ESR-3657		UL File No. EX1289	FM File No. J.I. 3015153	3 lbs, 3 lbs	\$\$	HCI-MD
Wood-Knocker®+II		Specialty Cast-In-Place	1/4" - 3/4"	ICC ESR-3657	ICC ESR-3657	ICC ESR-3657				UL File No. EX1289	FM File No. J.I. 3015153	3 lbs, 3 lbs	\$\$	HCI-WF
DDI+™ (Deck Insert)		Thread Insert for Composite Steel Deck	3/8" - 3/4"			ICC Pending		ICC Pending		UL Pending	FM Pending	3 lbs, 3 lbs	\$\$	No Similar Product

Indicates a Code Listed Product. Hilti is a registered trademark of Hilti Corp.

For technical support please contact a DeWALT Product & Code Expert at 800-524-3244 or visit our website at [www.DeWALT.com](http://www.DeWALT.com)


Verify scope of approval relative to intended application. The information and data contained within this document is current as of August 1, 2016 and is subject to change after such date. DeWALT reserves the right to change the designs, materials and specifications of the products in this document without notice and shall have no liability with respect to such changes. Please contact DeWALT for the most current and up to date information and data or refer to our website at [www.DeWALT.com](http://www.DeWALT.com)



# DEWALT®

## DUST COLLECTION SOLUTIONS

OSHA rules with the intent to limit workers' exposure to respirable crystalline silica which applies to workers in the USA who are exposed to over  $25 \mu\text{g}/\text{m}^3$  of respirable crystalline silica over an 8 hour weighted time average. Construction industry employers must implement controls as stipulated in Table I of the OSHA ruling on respirable crystalline silica by June 23, 2017.



### DUST EXTRACTOR SPECIFICATIONS

- MUST HAVE GREATER THAN OR EQUAL TO 99% EFFICIENCY
- MUST HAVE A FILTER CLEANING MECHANISM
- MUST BE USED WITH COMMERCIALY-AVAILABLE SHROUD



### HEPA VAC REQUIRED FOR HOLE CLEANING



### 25 CFM PER INCH WHEEL DIAMETER FOR GRINDING APPLICATIONS



# GRINDER



+ WHEEL




+ SHROUD



# HAMMER



+ BIT



+ SHROUD



DWV9000



DWV010



DWV012





## **CONTROL, DUST, VIBRATION.**

**THE DEWALT LINE OF  
PERFORM & PROTECT™  
POWER TOOLS IS DESIGNED  
WITH FEATURES THAT  
PROVIDE A HIGH LEVEL  
OF CONTROL, DUST  
CONTAINMENT, OR LOW  
VIBRATION. LESSEN  
WORKER DISCOMFORT  
WITHOUT SACRIFICING  
PERFORMANCE.**





\*With respect to 8V MAX\*, maximum initial battery voltage (measured without a workload) is 8 volts. Nominal voltage is 7.2.  
\*With respect to 12V MAX\*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.  
\*Maximum initial battery voltage (measured without a workload) is 20, 60 and 120 volts. Nominal voltage is 18, 54 and 108. 120V MAX\* is based on using 2 DeWALT 60V MAX\* lithium-ion batteries combined.





**20V MAX\* Lithium Ion XR®  
Brushless Dual Speed  
Framing Nailer**

**INCLUDES**

- DCN692 Dual Speed Framing Nailer
- (1) 20V MAX\* XR® Premium Lithium Ion Battery (4.0 Ah)
- Fast Charger
- No-Mar Tip
- Kit Box

ITEM #
DCN692M1



**20V MAX\* Lithium Ion Circular  
Saw Kit**

**INCLUDES**

- DCS391 6-1/2" (165mm) Circular Saw
- (1) DCB205 20V MAX\* XR® Lithium Ion Battery (5.0 Ah)
- Fast Charger
- 6-1/2" (165mm) Carbide-Tipped Blade
- Kit Box

ITEM #
DCS391P1



**20V MAX\* Lithium Ion Circular  
Saw Kit**

**INCLUDES**

- DCS373 Metal Cutting Circular Saw
- (2) DCB205: 20V MAX\* XR® Premium Lithium Ion Batteries (5.0 Ah)
- Fast Charger
- 5-1/2" (139.7mm) Carbide-Tipped Metal Cutting Blade
- Kitbox

ITEM #
DCS373P2



**7-1/4" (184mm) Lightweight  
Circular Saw**

- On-board blade wrench storage
- Lightweight and compact (8.8 lbs.)
- 2-9/16" depth of cut capacity

ITEM #
DWE575



**7-1/4" (184mm) Worm Drive  
Circular Saw**

- 13.8 lb. lightweight magnesium construction for user handling, comfort, and strength
- 53° bevel capacity
- Durable cast magnesium footplate

ITEM #
DWS535



**DW3178**

**Circular Saw Blades**

ITEM #	DESCRIPTION
DW3176	7-1/4" (184mm) 36T CARBIDE BLADE
DW3178	7-1/4" (184mm) 24T DEWALT CARDED
DW3192	7-1/4" (184mm) 18T SERIES BLADE - CARDED
DW3194	7-1/4" (184mm) 40T PRECISION FINISHING SKINCARD
DW3196	7-1/4" (184mm) 60T XP FINE CROSS CUTTING BLADE

# GUARANTEED TOUGH.®

**20V<sup>MAX</sup>**  
LITHIUM ION



**Jig Saw Kit**

- 120V AC, 5.5 Amp motor
- 0-3,100 SPM, 6.21 lbs.
- Keyless blade clamp
- Durable, all-metal gearcase
- 4-position orbital action



**Jig Saw Kit**

- All-metal, lever action, keyless blade change
- All-metal, keyless shoe bevel with detents at 0°, 15°, 30°, and 45°
- Powerful 6.5 Amp motor, 120V~ AC, 50/60 Hz
- Variable speed (500-3,100 SPM)
- 4-position orbital action



**20V MAX\* Jig Saw Kit**

**INCLUDES**

- DCS331 20V MAX\* Jig Saw
- (1) DCB204 20V MAX\* Premium XR® Lithium Ion Battery (4.0 Ah)
- Jig Saw Blade and Blade Guide
- Charger
- Kit Box

ITEM #
DW317K

ITEM #
DW331K

ITEM #
DCS331M1



**DW331K**



**DW3790**

**Jig Saw Blades**

ITEM #	DESCRIPTION
DW3795H	5 PC. T-SHANK JIGSAW BLADE ASSORTMENT
DW3799	25 PC. U-SHANK JIGSAW BLADE SET
DW3791	8 PC. T-SHANK JIGSAW BLADE SET
DW3790	8 PC. U-SHANK JIGSAW BLADE SET
DW3798	15 PC. JIGSAW BLADE SET
DW3742C	14 PC. T-SHANK JIGSAW BLADE SET WITH CASE



**20V MAX\* Lithium Ion XR®  
Brushless Compact Drill /  
Driver Kit**

**INCLUDES**

- DCD791 1/2" XR® Brushless Compact Drill / Driver
- (2) DCB203 20V MAX\* XR® Batteries (2.0 Ah)
- Charger
- Belt Hook
- Kit Box

ITEM #
DCD791D2



**20V MAX\* Lithium Ion XR®  
Brushless Compact  
Hammerdrill Kit**

**INCLUDES**

- DCD796 1/2" XR® Brushless Compact Hammerdrill
- (2) DCB203 20V MAX\* XR® Batteries (2.0 Ah)
- Charger
- Belt Hook
- Kit Box

ITEM #
DCD796D2



**20V MAX\* Lithium Ion Premium  
3-Speed Drill / Driver Kit**

**INCLUDES**

- DCD980 1/2" 3-Speed Drill/Driver
- (2) 20V MAX\* XR® Premium Lithium Ion Batteries (4.0 Ah)
- Charger
- 360° Side Handle
- Kit Box

ITEM #
DCD980M2



**20V MAX\* Lithium Ion Premium  
3-Speed Hammerdrill Kit**

**INCLUDES**

- DCD985 1/2" 3-Speed Hammerdrill
- (2) DCB204 20V MAX\* XR® Premium Lithium Ion Batteries (4.0 Ah)
- 360° Side Handle
- Charger
- Kit Box

ITEM #
DCD985M2



**20V MAX\* Lithium Ion XR®  
Brushless 1/2" 3-Speed  
Hammerdrill Kit**

**INCLUDES**

- DCD995 1/2" XR® Brushless 3-Speed Hammerdrill
- (2) DCB205 20V MAX\* XR® High Capacity Lithium Ion Batteries (5.0 Ah)
- Charger
- 360° Side Handle
- Belt Hook
- Kit Box

ITEM #
DCD996P2



**20V MAX\* Lithium Ion 3/8"  
Right Angle Drill / Driver Kit**

**INCLUDES**

- DCD740 3/8" Right Angle Drill / Driver
- (1) 20V MAX\* Compact Lithium Ion Battery (1.5 Ah)
- Charger
- Belt Hook
- Kit Box

ITEM #
DCD740C1



# GUARANTEED TOUGH.®

20V MAX\*  
LITHIUM ION



## 20V MAX\* Lithium Ion XR® Brushless Compact Drill / Driver and Impact Driver Combo Kit

### INCLUDES

- DCD791 1/2" XR® Brushless Drill/Driver and DCF887 1/4" XR® Brushless Impact Driver
- (2) DCB203 20V MAX\* XR® Lithium Ion Batteries (2.0 Ah)
- Charger, (2) Belt Hooks
- Contractor Bag

ITEM #
DCK283D2

20V MAX\*  
LITHIUM ION



## 20V MAX\* Lithium Ion XR® Brushless Compact Hammerdrill and Impact Driver Combo Kit

### INCLUDES

- DCD796 1/2" XR® Brushless Hammerdrill and DCF887 1/4" XR® Brushless Impact Driver
- (2) DCB203 20V MAX\* XR® Lithium Ion Batteries (2.0 Ah)
- Charger, (2) Belt Hooks
- Contractor Bag

ITEM #
DCK287D2

MADE IN THE  
USA  
WITH GLOBAL MATERIALS

20V MAX\*  
LITHIUM ION



## 20V MAX\* Lithium Ion Hammerdrill / Reciprocating Saw Combo Kit

### INCLUDES

- DCD985 1/2" Hammerdrill and DCS380 Reciprocating Saw
- (2) 20V MAX\* Lithium Ion Batteries (3.0 Ah)
- Charger
- 360° Side Handle
- Contractor Bag

ITEM #
DCK292L2

MADE IN THE  
USA  
WITH GLOBAL MATERIALS

20V MAX\*  
LITHIUM ION



## 20V MAX\* Lithium Ion XR® Brushless Premium Hammerdrill & Impact Driver Combo Kit

### INCLUDES

- DCD996 1/2" 3-Speed XR® Brushless Hammerdrill and DCF887 1/4" XR® Brushless Impact Driver
- (2) DCB204 20V MAX\* XR® Premium Lithium Ion Batteries (4.0 Ah)
- Charger, (2) Belt Hooks, 360° Side Handle
- Contractor Bag

ITEM #
DCK299M2

20V MAX\*  
LITHIUM ION



## 20V MAX\* Premium 5-Tool Combo Kit

### INCLUDES

- DCD985 Hammerdrill, DCS380 Recip Saw, DCF885 1/4" Impact Driver, DCS391 6-1/2" Circular Saw, and DCL040 LED Work Light
- (2) 20V MAX\* Lithium Ion Batteries (3.0 Ah)
- Charger, Belt Hook, (1) Carbide Tipped Blade and a 360° Side Handle
- Contractor Bag

ITEM #
DCK592L2



DW1263 G

## Drill Bits

ITEM #	DESCRIPTION
DW1969 G	29 PC. GOLD FERROUS PILOT POINT® DRILL BIT SET
DW1956	16 PC. PILOT POINT DRILL® BIT SET
DW1269	29 PC. COBALT PILOT POINT® DRILL BIT SET
DW1263 G	14 PC. GOLD FERROUS COBALT PILOT POINT® DRILL BIT SET (UP TO 3/8")
DW1361	21 PC. PILOT POINT® TITANIUM DRILL BIT SET
DW1169 G	14 PC. GOLD FERROUS PILOT POINT® SET
DW1177	20 PC. BACK OXIDE SET
DW1587 Y	6 PC. SPADE BIT SET



DWHT51145

**15 oz. MIG Weld Framing Hammers**

- 15 oz. weight for fast swing and to help minimize fatigue
- Magnetic nail starter for easy one-handed nail placement

ITEM #	DESCRIPTION
DWHT51145	15 OZ FRAMING HAMMER SF
DWHT51138	15 OZ FRAMING HAMMER CF



DWHT51064

**One-Piece Steel Hammers**

- Optimal weight distribution for a controlled swing
- Single-piece steel construction for durability and long life
- Side nail puller for efficient nail pulling

ITEM #	DESCRIPTION
DWHT51048	16 OZ ONE-PIECE STEEL HAMMER
DWHT51054	20 OZ ONE-PIECE STEEL HAMMER
DWHT51064	22 OZ ONE-PIECE STEEL HAMMER



**4-1/2" Small Bar Clamp**

- 35 lb. clamping force
- Reinforced nylon body and heat-treated steel bar for strength and durability

ITEM #
DWHT83191



DWHT83140

**Medium Bar Clamps**

- 100 lb. clamping force
- Removable jaw pads helps reduce marring
- One-handed operation for ease of use

ITEM #	DESCRIPTION
DWHT83139	6" MEDIUM BAR CLAMP
DWHT83140	12" MEDIUM BAR CLAMP



DWHT83192

**Large Trigger Clamps**

- 300 lb. clamping force
- Quick change button allows for easy conversion to a spreader

ITEM #	DESCRIPTION
DWHT83192	6" LARGE TRIGGER CLAMP
DWHT83193	12" LARGE TRIGGER CLAMP
DWHT83194	24" LARGE TRIGGER CLAMP
DWHT83195	36" LARGE TRIGGER CLAMP



DWHT83185

**Extra Large Trigger Clamps**

- 600 lb. clamping force
- 3-3/4" throat depth

ITEM #	DESCRIPTION
DWHT83185	12" XL TRIGGER CLAMP
DWHT83186	24" XL TRIGGER CLAMP
DWHT83187	36" XL TRIGGER CLAMP
DWHT83188	50" XL TRIGGER CLAMP



\*With respect to 8V MAX\*, maximum initial battery voltage (measured without a workload) is 8 volts. Nominal voltage is 7.2.

\*With respect to 12V MAX\*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.

\*Maximum initial battery voltage (measured without a workload) is 20, 60 and 120 volts. Nominal voltage is 18, 54 and 108. 120V MAX\* is based on using 2 DeWALT 60V MAX\* lithium-ion batteries combined.





**3 Beam Laser Pointer**

- Single-lever power switch locks pendulum in the off position for durability
- Overmolded housing helps maintain calibration under jobsite conditions

ITEM #
DW083K



**Cross Line Laser**

- Self-leveling beams provide pinpoint precision within 1/4"
- Locking pendulum helps prevent damage to internal components for setting angled lines

ITEM #
DW08801



**Cross Line Laser**

- Projects bright, crossing horizontal and vertical lines for various leveling, and layout applications
- Maintains full brightness for visibility

ITEM #
DW088K



**Self Leveling Spot Beams and Horizontal Line**

- Projects five bright spot beams for accurate plumb and horizontal point transfer
- Full-time pulse mode allows use with detector and maintains full brightness for visibility

ITEM #
DW0851



**Self-Leveling Cross Line and Plumb Spots**

- Projects bright, crossing, horizontal and vertical lines
- 2 bright, self leveling beams provide accurate plumb point transfer
- Projects down-beam with raised clearance
- Provides dot visibility and alignment for wall track layout

ITEM #
DW0822



**Self Leveling 3 Beam Line Laser**

- Bright diode for visibility in bright job site conditions
- 1-button operation and control panel

ITEM #
DW089K

# GUARANTEED TOUGH.®



## 20V MAX\* Lithium Ion Red Rotary Laser

- 1500 ft. range with detector
- Single-axis slope mode
- 1P54 rating
- Up plumb spot

ITEM #
DW074LR



## 20V MAX\* Lithium Ion Green Rotary Tough Laser

- 2000 ft. range with detector
- Dual-axis slope mode
- 1P67 rating
- Up and down plumb spot

ITEM #
DW079LG



## 20V MAX\* Lithium Ion Red Rotary Tough Laser

- 2000 ft. range with detector
- Dual-axis slope mode
- 1P67 rating
- Up and down plumb spot

ITEM #
DW079LR



## 12V MAX\* Lithium Ion Line Laser

- Self-leveling cross lines project bright, crossing, horizontal and vertical lines for various leveling and layout applications
- Full-time pulse mode allows use with detector, maintains full brightness for visibility, and extends range

ITEM #	DESCRIPTION
DW088LG	GREEN LASER
DW088LR	RED LASER



## 12V MAX\* Lithium Ion 3x360 Laser

- Integrated magnetic bracket with 1/4" and 5/8" thread
- Full-time pulse mode allows use with detector, maintains full brightness for visibility, and extends range

ITEM #	DESCRIPTION
DW089LG	GREEN LASER
DW089LR	RED LASER



DW088LG



**12V MAX\* Lithium Ion 9mm Inspection Camera with Wireless Screen Kit**

- Removable wireless screen for ease of viewing when in tight areas
- Hook, magnet, and mirror accessories included to aid in retrieval

ITEM #
DCT411S1



**12V MAX\* Lithium Ion 17mm Inspection Camera with Wireless Screen Kit**

- Removable wireless screen for ease of viewing when in tight areas
- Hook, magnet, and mirror accessories included to aid in retrieval

ITEM #
DCT410S1



**12V MAX\* Lithium Ion Infrared Thermometer Kit**

- LED hot (red) & cold (blue) indicators for visual and/or audio alarm help quickly locate trouble spots
- Data storage for recording maximum, minimum, and average temperatures

ITEM #
DCT414S1



**8 oz. Chalk**

- High-grade chalk to be used with chalk line reels
- Tethered, easy pouring pop-top spout cap
- Oval-shaped bottle will not roll off of surface

ITEM #	DESCRIPTION
DWHT47049L	8 OZ. CHALK - BLUE
DWHT47048L	8 OZ. CHALK - RED



**Chalk Reel**

- Flush handle for compact storage
- Ergonomic shape for secure grip and feel
- Intergraded clutch for reduced line jams and smooth line release

ITEM #	DESCRIPTION
DWHT47372	3:1 SINGLE CHALK REEL
DWHT47375	6:1 SINGLE CHALK REEL



DCT414S1





**MEASURING**

**GUARANTEED TOUGH.®**



### Premium Tape Measure

- Reinforced housing and metal impact plate for blade hook protection and long life
- 3M® heavy-duty thermoplastic coating maximizes blade life and helps to reduce blade breakage

ITEM #	DESCRIPTION
DWHT33975	25' PREMIUM TAPE MEASURE
DWHT33976	35' PREMIUM TAPE MEASURE



### 165' Laser Distance Measurers

- Accurate at +/- 1/16"
- DW03050 2-Line backlit display helps improve screen visibility in both dim and bright conditions
- DW03201 built-in digital camera with 4x zoom enables long range measurements in unfavorable lighting conditions

ITEM #	DESCRIPTION
DW03050	165' LASER DISTANCE MEASURER
DW03201	660' LASER DISTANCE MEASURER



### Non-Magnetic Box Beam Levels

- Die-cast center vial holder maintains level accuracy under abusive work conditions
- Robust metal + over-mold end caps provide excellent shock resistance
- Magnified center vial

ITEM #	DESCRIPTION
DWHT43172	72" IN BOX BEAM LEVEL
DWHT43224	24" IN BOX BEAM LEVEL
DWHT43248	48" IN BOX BEAM LEVEL



### 26x Auto Level Package

- Magnetically dampened compensator for easy set-up with optimum range and accuracy
- 26x magnification for 300'+ range
- Heavy-duty leveling base is fast and easy to set up and level

ITEM #
DW096PK



### 20x Builders Level Package

- Heavy-duty leveling base is fast and easy to set up and level
- Protected leveling vial for jobsite durability
- 8' aluminum grade rod (feet-inches-eighths)

ITEM #
DW090PK



### 20x Transit Level Package

- 20x magnification for 200' + range
- Transit capability allows user to determine vertical angles
- Protected leveling vial

ITEM #
DW092PK

3M is a registered trademark of 3M Company.





**PREPARATION**

**GUARANTEED TOUGH.®**

\*With respect to 8V MAX\*, maximum initial battery voltage (measured without a workload) is 8 volts. Nominal voltage is 7.2.  
\*With respect to 12V MAX\*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.



**14" Chop Saw**

- 15 Amp/4HP max motor provides overload protection
- QUICK-LOCK Vise allows for fast clamping on differently sized-materials
- Ergonomically designed "D" handle provides a more comfortable hand position

ITEM #
D28710



**14" Chop Saw with QUICK-CHANGE Keyless Blade Change System**

- Powerful 15 Amp/5.5 HP max motor provides overload capacity, performance and durability
- Exclusive QUICK-FENCE® is a 45°, adjustable fence designed for fast and accurate angle cuts without using a wrench

ITEM #
D28715



D28715

**Chop Saw Wheels**



DW8030

DWA8051

ITEM #	DESCRIPTION
DW8034	14" x 5/32" x 1" ASPHALT PORTABLE SAW CUT-OFF WHEEL
DW8003	14" x 7/64" x 1" STUD CHOP SAW CUTTING WHEEL
DW8001Z	14" x 7/64" x 1" GENERAL PURPOSE CHOP SAW WHEEL
DWA8030	14" x 1/8" x 1" METAL PORTABLE SAW CUT-OFF WHEEL
DWA8031	14" x 1/8" x 20mm METAL PORTABLE SAW CUT-OFF WHEEL
DWA8033	12" X 1/8" X 20mm METAL PORTABLE SAW CUT-OFF WHEEL
DWA8035	14" x 1/8" x 20mm CONCRETE/MASONRY PORTABLE SAW CUT-OFF WHEEL
DW8031	14" x 1/8" x 20mm DUCTILE CUTTING PORTABLE SAW CUT-OFF WHEEL
DW8020Z	14" x 1/8" x 1" METAL PORTABLE SAW CUT-OFF WHEEL
DWA8011	14" x 7/64" x 1" GENERAL PURPOSE CHOP SAW WHEEL



**Diamond Edge Chop Saw Wheel**

- Diamond Edge provides 100x the life vs. bonded chop saw wheels
- Steel Blade Core provides constant cutting depth, capacity and stability of a solid core
- Advanced Brazing Technology cuts metal with the speed of a conventional abrasive blade

ITEM #
DW8500





# GUARANTEED TOUGH.®



**DWE357**

## Reciprocating Saws

- Key-less, reinforced, lever-action blade clamp for quick blade changes
- Variable-speed trigger allows user to instantly control speed

ITEM #	DESCRIPTION
DWE357	10.0 AMP COMPACT RECIPROCATING SAW
DWE305	12.0 AMP RECIPROCATING SAW



## 20V MAX\* Lithium Ion Cordless Reciprocating Saw Kit

### INCLUDES

- DCS380 Reciprocating Saw
- (1) DCB205 20V MAX\* XR® Premium Lithium Ion Battery (5.0 Ah)
- Charger
- Kitbox

ITEM #
DCS380P1



## 20V MAX\* Lithium Ion Compact Reciprocating Saw Kit

### INCLUDES

- DCS387 Reciprocating Saw
- DCB101 Charger
- (1) DCB205 20V MAX\* Premium XR® Lithium Ion Battery (5.0 Ah)
- Charger
- Contractor Bag

ITEM #
DCS387P1



**DW4892**

## Reciprocating Saw Blades

ITEM #	DESCRIPTION
DW5846	16" ASPHALT CUTTER
DW4892	12 PC. RECIPROCATING SAW BLADE KIT
DW4899	16 PC. RECIPROCATING SAW BLADE KIT
DWA4101	8 PC. RECIPROCATING SAW BLADE KIT



## Deep Cut Band Saw Kit

- 10.0 Amp motor designed with controlled power to withstand jobsite application
- LED sight light allows the user to see cut line in dark jobsite environment
- 5" deep-cut capacity

ITEM #
DWM120K



## 20V MAX\* Lithium Ion XR® Brushless Deep Cut Band Saw Kit

### INCLUDES

- DCS374 Band Saw
- (2) DCB205 20V MAX\* Premium XR® Lithium Ion Batteries (5.0 Ah)
- Charger
- 18 TPI Band Saw Blade
- Kit Box

ITEM #
DCS374P2



**DWE402**

**4-1/2" Small Angle Grinders**

- One-Touch Guard allows for 360° rotation of the guard with a single action

ITEM #	DESCRIPTION
DWE402	4-1/2" PADDLE SWITCH SMALL ANGLE GRINDER
DWE402N	4-1/2" PADDLE SWITCH SMALL ANGLE GRINDER WITH NO LOCK-ON SWITCH



**4-1/2" Small Angle Paddle Switch Grinder with Brake**

- 11.0 Amp 1400 MWO Motor provides high operating speeds under heavy loads
- Dust Ejection System® contributes to long motor life

ITEM #
DWE4222



**DWE402**



**5" - 6" High Performance Cut-Off/Grinder with No Lock-On**

- 13.0 Amp / 2.3 HP max, 9,000 RPM motor
- No Lock-On paddle switch prevents the user from locking the grinder on

ITEM #
D28144N



**9" 6,500 RPM 4.7 HP Max No-Lock Angle Grinder**

- 4.7 HP max motor with overload protection
- Light-weight design - 12.1 lbs.
- Automatic turn-off brushes

ITEM #
DWE4559N



**7" 8,500 RPM 4.9 HP Max No-Lock Angle Grinder**

- 4.9 HP max motor with overload protection
- Light-weight design - 12.3 lbs.
- Low-profile gearcase

ITEM #
DWE4597N



# GUARANTEED TOUGH.®



## 9" 6,500 RPM 4 HP Max High Performance Angle Grinder

- 4 HP max 6,500 RPM motor with overload protection
- 6,500 RPM provides material removal with 9" grinding wheels

ITEM #
DWE4519



## 7" & 9" 6,000 RPM 5.3 HP Max High Performance Angle Grinder

- Low-profile gearcase allows for work in tight areas
- 5.3 HP max motor with overload protection
- Keyless adjustable guard

ITEM #
D28499X



## 4-1/2" - 5" High Performance Paddle Switch Grinders

- 13.0 Amp AC, 11,000 RPM max motor
- One-piece brush arm prevents brush hang-up due to dust ingestion

ITEM #	DESCRIPTION
D28114	4-1/2" - 5" HIGH PERFORMANCE GRINDER
D28114N	4-1/2" - 5" HIGH PERFORMANCE GRINDER WITH NO LOCK-ON

D28114



## 9" 6,500 RPM 4.9 HP Max Angle Grinder with No Lock-On

- 4.9 HP max motor with overload protection
- Low profile gearcase allows for work in tight areas
- Automatic turn-off brushes

ITEM #
DWE4599N



## 6" No Lock Paddle Cutoff Tool with Adjustable Guard

- Provides rotational stops to help ensure user's hands are covered
- Closed-position of guard also allows for cutting in tight spots

ITEM #
DWE46044



## 6" No Lock Rat Tail Cutoff Tool with Adjustable Guard

- Provides rotational stops to help ensure user's hands are covered
- Closed-position of guard also allows for cutting in tight spots

ITEM #
DWE46066



### 20V MAX\* Lithium Ion 4-1/2" - 5" Grinder Kit

**INCLUDES**

- DCG412 Grinding Tool
- (2) DCB205 20V MAX\* XR® Premium Lithium Ion Batteries (5.0 Ah)
- Charger
- Type 27 (Grinding) Guard
- 2-Position Side Handle, Contractor Bag, and Wrench

ITEM #
DCG412P2



Grinder Not Included with DWE46100

### 5" - 6" Cutting & Tuckpointing Dust Shrouds

- Universal connector eliminates the need for users to tape hose to shroud
- Adjustable shoe allows user to adjust depth of cut
- Lock-on slide switch

ITEM #	DESCRIPTION
DWE46101	5" - 6" DUST SHROUD KIT
DWE46100	5" - 6" DUST SHROUD



Grinder Not Included with DWE46153

### 5" Surface Grinding Dust Shroud Kit

- Dust collection surfacing shroud with flush grinding door allowing dust collection while flush edge grinding
- Tool-free bail handle for ideal control/ergonomics while surface grinding

ITEM #
DWE46153



### Grinder Cutting Guard

- Provides rotational stops to help ensure users hands are covered
- Closed position of guard also allows for cutting in tight spots

ITEM #
DWE4606



### Surface Grinding Dust Shrouds

- Aids in dust collection and containment, a Perform & Protect™ dust feature
- Spring-loaded, hinged door
- Universal vacuum hose connection

ITEM #	DESCRIPTION
DWE46170	7" DUST SHROUD
DWE46152	5" DUST SHROUD



DWE46153



# GUARANTEED TOUGH.®



DW4550



DW4962

## Grinding Wheels

ITEM #	DESCRIPTION
DW4518Z	4-1/2" x 1/8" METAL GENERAL PURPOSE WHEEL
DW4523Z	4-1/2" x 1/4" x 5/8"-11 GENERAL PURPOSE WHEEL
DW4550	9" x 1/4" x 5/8"-11 FAST CUTTING ABRASIVE WHEEL
DW4961	4" x 2" x 5/8"-11 CONCRETE/MASONRY GRINDING CUP WHEEL
DW4962	5" X 2" X 5/8"-11 METAL GRINDING STL CUP WHEEL

## Flap Discs and Cutoff Wheels



DW8327

ITEM #	DESCRIPTION
DW8062 Z	METAL THIN CUTOFF WHEEL 4-1/2" x .045" x 7/8"
DW8311	4-1/2" x 5/8"-11 Z36 T29 FLAP DISC
DW8312	4-1/2" x 5/8"-11 Z60 T29 FLAP DISC
DW8313	4-1/2" x 5/8"-11 Z80 T29 FLAP DISC
DW8327	7" x 5/8"-11 Z36 T29 FLAP DISC
DW8329	7" x 5/8"-11 Z60 T29 FLAP DISC
DW8330	7" x 5/8"-11 Z80 T29 FLAP DISC
DW8424 Z	4-1/2" x .045" x 7/8" THIN CUTTING WHEEL
DW8487	9" x 1/8" x 7/8" PIPELINE CUTTING/GRINDING WHEEL

## Extended Performance Abrasive Wheels

- Thin .045" wheel design for fast, burr-free cutting
- Specially treated grain combination for aggressive cutting action
- Proprietary material mix ensures durable long life wheels



DW8859



DW8853

ITEM #	DESCRIPTION
DW8851	4-1/2" x .045" x 7/8" XP METAL AND STAINLESS CUTTING WHEEL
DW8859	6" x .045" x 7/8" XP CUTTING WHEEL
DW8853	6" x .045" x 7/8" XP METAL AND STAINLESS CUTTING WHEEL

## Thin Cutting Wheel

- Thin .045" wheel design for fast, burr-free cutting
- Softer Aluminum Oxide formulation provides fast cutting
- Two full sheets of fiberglass for durability



ITEM #	DESCRIPTION
DWA8051	4-1/2" x .045" x 7/8" METAL CUTOFF WHEEL



### Retractable Utility Knife

- Rugged metal body for prolonged tool life
- Rapid Load™ blade changing system for quick blade changes
- Dual-material handle for grip and control

ITEM #
DWHT10046



### Folding Retractable Utility Knife

- Rapid Load™ blade changing system for quick blade changes
- Retractable blade offers variable cut depth
- Rugged metal body for long tool life

ITEM #
DWHT10035



### Folding Pocket Knife

- Stainless steel blade for durability and rust resistance
- Slim, lightweight handle for a comfortable grip
- Tanto tip for piercing tough materials

ITEM #
DWHT10272



### Drywall Utility Blades (5 Pack)

- Engineered edge for cutting abrasive drywall materials

ITEM #
DWHT11133



### Tin Snips

- Heavy-duty forged steel
- Double dipped, slip resistant grip
- Meets or exceeds ANSI specifications

ITEM #	DESCRIPTION
DWHT70286	10" TIN SNIPS



### Aviation Snips

- Patented flush hardware
- 25% larger pivot bolt
- Internal locking mechanism with auto-release
- Forged chrome molybdenum alloy

ITEM #	DESCRIPTION
DWHT70281	RIGHT CUT AVIATION SNIPS
DWHT70280	LEFT CUT AVIATION SNIPS
DWHT70279	STRAIGHT CUT AVIATION SNIPS





\*With respect to 8V MAX\*, maximum initial battery voltage (measured without a workload) is 8 volts. Nominal voltage is 7.2.  
\*With respect to 12V MAX\*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.  
\*Maximum initial battery voltage (measured without a workload) is 20, 60 and 120 volts. Nominal voltage is 18, 54 and 108. 120V MAX\* is based on using 2 DeWALT 60V MAX\* lithium-ion batteries combined.



**20V MAX\* Lithium Ion XR®  
Brushless 1/4" 3-Speed Impact  
Driver Kit**

**INCLUDES**

- DCF887 XR® Brushless 3-Speed 1/4" Impact Driver
- (2) DCB204 20V\* MAX\* XR® Premium Lithium Ion Batteries (4.0 Ah)
- Charger, Belt Hook, and Kit Box

ITEM #
DCF887M2



**20V MAX\* Lithium Ion XR®  
Brushless High Torque 1/2"  
Impact Wrench with Detent Pin  
Anvil Kit**

**INCLUDES**

- DCF899 1/2" XR® Brushless High Torque Impact Wrench
- (1) DCB205 20V\* MAX\* XR® Premium Lithium Ion Battery (5.0 Ah)
- Charger
- Kit Box

ITEM #
DCF899P1



**20V MAX\* Lithium Ion XR®  
Brushless High Torque 1/2"  
Impact Wrench Kits**

**INCLUDES**

- DCF899 1/2" XR® Brushless High Torque Impact Wrench, (2) DCB205 20V\* MAX\* XR® Premium Lithium Ion Batteries (5.0 Ah), Charger, and Kit Box

ITEM #	DESCRIPTION
DCF899P2	1/2" HIGH TORQUE IMPACT WRENCH WITH DETENT ANVIL KIT
DCF899HP2	1/2" HIGH TORQUE IMPACT WRENCH WITH HOG RING ANVIL KIT



**18 GA Shear Attachment**

- Cuts up to 18 GA material including but not limited to: Sheet metal, corrugated sheet metal, duct, asphalt shingles, steel mesh, vinyl siding, wire, plastics, cardboard and rubber
- Works with most 18V MAX\*-20V MAX\* impact driver and drill tools

ITEM #
DWASHRIR



**Impact Ready® Accessories**

- Minimize drops and wobbles
- Reduce breakage
- Long life

ITEM #	DESCRIPTION
DWA2T40IR	40 PC. IMPACT READY® SCREWDRIVING BIT SET
DWA2T35IR	35 PC. IMPACT READY® SCREWDRIVING BIT SET
DD5060	10 PC. IMPACT READY® TITANIUM DRILLING SET
D1800IR5	5 PC. IMPACT READY® HOLE SAW SET



# GUARANTEED TOUGH.®



## 4,000 RPM Lightweight VSR™ Drywall Screwgun

- 4,000 RPM high speed motor for production drywall hanging
- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- Two-finger trigger for comfort and ease of use

ITEM #
DW252



## 4,000 RPM VSR™ Drywall Screwgun

- Two-finger trigger for comfort and ease of use
- Metal gear housing for jobsite durability and increased reliability
- Helical-cut steel and heat-treated gears for long life and durability

ITEM #
DW272



## 2,500 RPM VSR™ All-Purpose Screwgun

- Helical-cut steel and heat-treated gears for long life and durability
- High torque for deck building, drywall, and heavy gauge steel stud framing
- Two-finger trigger for comfort and ease of use

ITEM #
DW276



## 2,500 RPM VSR™ All-Purpose Screwgun

- Depth-sensitive, "set and forget" nosepiece for consistent fastener depth
- Helical-cut steel and heat-treated gears for long life and durability
- Two-finger trigger for comfort and ease of use

ITEM #
DW257



## 2,500 RPM VSR™ VERSA-CLUTCH™ Screwgun

- Versa-Clutch® torque adjustment system dials in the proper torque needed to efficiently drive fasteners without stripping or breaking
- High-power motor for metal fastening applications
- Excellent ergonomics offers low user fatigue

ITEM #
DW268



## 5,300 RPM High Speed VSR™ Drywall Screwgun

- 5,300 RPM high speed motor for production drywall hanging
- Helical-cut steel and heat-treated gears for long life and durability
- Lightweight with excellent ergonomics

ITEM #
DW255



**20V MAX\* Lithium Ion XR®  
Brushless Drywall Screwgun  
Kits**

**INCLUDES**

- DCF620 Drywall Screwgun
- 20V MAX\* XR® Premium Lithium Ion Batteries
- Charger
- Kit Bag

ITEM #	DESCRIPTION
DCF620D2	DRYWALL SCREWGUN KIT (2.0 Ah)
DCF620M2	DRYWALL SCREWGUN KIT (4.0 Ah)



**20V MAX\* Lithium Ion XR®  
Brushless Drywall Screwgun &  
Impact Driver Combo Kit**

**INCLUDES**

- DCF620 XR® Brushless Drywall Screwgun
- DCF886 XR® Brushless 1/4" Impact Driver
- (2) DCB204 20V MAX\* XR® Premium Lithium Ion Batteries (4.0 Ah)
- Charger
- (2) Belt Clips
- Kit Bag

ITEM #
DCK262M2



**20V MAX\* Lithium Ion XR®  
Brushless Drywall Screwgun/  
Drywall Cut-Out Tool Combo Kit**

**INCLUDES**

- DCF620 XR® Brushless Drywall Screwgun
- DCS551 XR® Brushless Cut-Out Tool
- (2) DCB203 20V MAX\* XR® Compact Lithium Ion Batteries (2.0 Ah)
- Charger, Magnetic Bit Tip Holder, #2 Phillips Bit Tip, Drywall Bit, General Purpose Cut-Out Tool Bit, 1/8" and 1/4" Collets, Depth Guide, Belt Hook and Kit Bag

ITEM #
DCK263D2



**Cordless Collated  
Magazine Attachment**

- Tool-free screw length adjustment button (1" - 2" capacity)
- Screw length detent marks and screw drive depth gauge

ITEM #
DCF6201



**Heavy-Duty Stapler**

- Reversible belt clip for hanging tool from belts and pockets
- Pinpoint staple guide for driving staples around cable and wire

ITEM #
DWHTTR130LH



**Fastening Hand Tools**

- DWHT70800 precision machined jaws for gripping, twisting, and cutting
- DWHT70290 and DWHT70292 Tough Coat® finish helps to prevent chipping
- DWHTMR77C 360° swivel head allows use of tool in any direction including overhead

ITEM #	DESCRIPTION
DWHT70800	8" LONG NOSE PLIER
DWHT70290	8" ADJUSTABLE WRENCH
DWHT70292	12" ADJUSTABLE WRENCH
DWHTMR77C	HEAVY-DUTY SWIVEL HEAD RIVETER



# OVER **62 MILLION\*** AND COUNTING

[DeWALT.COM/AMERICANPRIDE](http://DeWALT.COM/AMERICANPRIDE)



\*Over 62 million units of individual product made in the USA with global materials in 2015





**FINISH WORK**



**GUARANTEED TOUGH.®**

\*With respect to 8V MAX\*, maximum initial battery voltage (measured without a workload) is 8 volts. Nominal voltage is 7.2.  
\*With respect to 12V MAX\*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.  
\*Maximum initial battery voltage (measured without a workload) is 20, 60 and 120 volts. Nominal voltage is 18, 54 and 108. 120V MAX\* is based on using 2 DeWALT 60V MAX\* lithium-ion batteries combined.



# GUARANTEED TOUGH.®



20V<sup>MAX\*</sup>  
LITHIUM ION

## 20V MAX\* Lithium Ion XR® Brushless 16 GA Cordless Angled Finish Nailer Kit

### INCLUDES

- DCN660 16 GA Cordless Angled Finish Nailer
- (1) DCB203 20V MAX\* XR® Battery (2.0 Ah)
- Charger
- Kit Box

ITEM #
DCN660D1



D51276

## 1" - 2-1/2" Finish Nailers

- Sealed Lube Dual Tech™: motor works as an oil free oil lube unit
- Tool-free features: adjustable belt hook, nail depth adjustment, jam clearing, 360° exhaust

ITEM #	DESCRIPTION
D51276	15 GA 1"- 2-1/2" FINISH NAILER
D51257K	16 GA 1"- 2-1/2" FINISH NAILER



DCA15150

## Finish Nails

- Chisel point
- Coated finish

ITEM #	DESCRIPTION
DCA15150	15 GA 1-1/2" 20 DEGREE ANGLED FINISH NAILS
DCA16125	16 GA 1-1/4" 20 DEGREE ANGLED FINISH NAILS
DBN18063	18 GA 5/8" BRAD NAILS
DCS16125	16 GA 1-1/4" STRAIGHT FINISH NAILS



## 16 GA Medium Crown Staplers

- Lightweight tool provides enhanced maneuverability and aids in minimizing user fatigue
- Clean nose area aids in more exact fastener placement

ITEM #	DESCRIPTION
D51431	16 GA 1"-2" X 2-1/2" MEDIUM CROWN STAPLER
D51430	16 GA 1"-2" X 7/16" MEDIUM CROWN STAPLER



## Wide Crown Lathing Stapler

- Jam-free magazine to minimize downtime
- Overmolded rubber grip for comfort and control
- Adjustable depth guide for precise setting of fasteners
- Power control valve adjusts power by up to 30% for precise setting of fasteners

ITEM #
DW450S2



## Heavy-Duty 18 GA Brad Nailer

- Long life, maintenance-free motor to help to eliminate staining the work surface
- Tool-free depth of drive adjustment with detents for proper setting of nail heads
- Tool-free jam release mechanism for easy nail removal

ITEM #
DWFP12331



**2-in-1™ Flooring Tool**

- Drives 15.5 GA 1-1/2" to 2" staples and 16 GA 1-1/2" to 2" "L" cleats
- Mallet-actuated, pneumatic driving action
- Non-marring, interchangeable base plates for 1/2" through 3/4" flooring

ITEM #
DWFP12569



**Heavy-Duty 165 PSI Pancake Compressor**

- High-efficiency motor for easy start up in cold weather or extension cord application
- Long life, oil-free pump for maintenance-free operation
- 30 lb. weight makes unit easy to carry and store

ITEM #
DWFP55126



**200 PSI Quiet Trim Compressor**

- Lightweight (36 lbs.), narrow (12.5"), and compact design is easy to carry and store
- Roll cage and control panel provide protection to key compressor components

ITEM #
DWFP55130



**1.6 HP Max Continuous, 200 PSI, 4.5 Gallon Compressor**

- Vertical stand feature and collapsible handle allows user to save space by transporting or storing the compressor in a vertical position
- 10" non-flat, foam tires allow for easy transportation around the jobsite

ITEM #
D55146



**DWE7491RS**

**10" (254mm) Jobsite Table Saws**

ITEM #	DESCRIPTION
DWE7491RS	10" (254mm) JOBSITE TABLE SAW WITH 32-1/2" (825mm) RIP CAPACITY AND ROLLING STAND
DWE7480	10" (245mm) COMPACT JOB SITE TABLE SAW WITH SITE-PRO™ MODULAR GUARDING SYSTEM
DW745	10" (245mm) COMPACT JOB SITE TABLE SAW



**20V MAX\* Lithium Ion 7-1/4" (184mm) Cordless Sliding Miter Saw**

**INCLUDES**

- DCS361 7-1/4" (184mm) Cordless Sliding Miter Saw
- (1) DCB204 20V MAX\* XR® Premium Lithium Ion Battery (4.0 Ah)
- Charger
- Carbide Blade and Blade Wrench
- Dust Bag and Material Clamp

ITEM #
DCS361M1

# GUARANTEED TOUGH.®



**12" (305mm) Double Bevel Sliding Compound Miter Saw**

- 15 Amp, 3,800 RPM motor delivers extended power and durability
- Compact, lightweight design (56 lbs.) allows for easy transport and storage

ITEM #
DWS780



**12" (305mm) Compound Miter Saw**

- 15.0 Amp motor, 4,000 RPM delivers power and durability
- Lightweight (42 lbs.) with built-in carry handle for portability

ITEM #
DW715



**10" (254mm) Compound Miter Saw**

- 15 Amp, 5,000 RPM motor delivers extended power and durability
- Tall, sliding fences support crown molding vertically 4-1/2" and easily slide out of the way for bevel cuts

ITEM #
DW713



**Heavy-Duty Miter Saw Stand**

- Lightweight aluminum construction (35 lbs.) allows for transport to and from the jobsite
- 5-1/2' beam extends to support up to 16 ft. of material and up to 500 lbs.
- Includes two work supports/stops

ITEM #
DWX723



**DW3103**

**Table Saw and Miter Saw Blades**

ITEM #	DESCRIPTION
DW3103	10" (254mm) 32T SAW BLADE
DW3106	10" (254mm) 60T SAW BLADE
DW3106P5	10" (254mm) 32T & 10" 60T S20 COMBO PACK
DW3218PT	10" (254mm) 80T PRECISION TRIM BLADE
DW3216PT	12" (305mm) 60T PRECISION TRIM BLADE
DW3112	10" (254mm) 24T JOBSITE SAW BLADE
DW3114	10" (254mm) 40T JOBSITE SAW BLADE
DW3126	12" (305mm) 60T SERIES 20 SAW BLADE
DW3128	12" (305mm) 80T SAW BLADE



**DWS780**





### 20V MAX\* Lithium Ion Drywall Cut-Out Tool Kit

**INCLUDES**

- DCS551 Cut-Out Tool
- (2) DCB203 20V MAX\* XR® Compact Lithium Ion Batteries (2.0 Ah)
- Charger
- General Purpose Bit, Drywall Bit, 1/8" and 1/4" Collets, Depth Guide, and Kit Bag

ITEM #
DCS551D2



### Cut-Out Tool Kit

- 5.0 Amp, 30,000 RPM motor provides high cutting power
- Tool-free bit change for fast and easy bit changing without a wrench
- Dust-sealed switch protects against dust ingestion

ITEM #
DW660



DW660



### 20V MAX\* XR® Lithium Ion Oscillating Multi-Tool Kit

**INCLUDES**

- DCS355 XR® Brushless Oscillating Tool
- (1) DCB203 20V MAX\* XR® Compact Lithium Ion Battery (2.0 Ah)
- Charger
- DeWALT Oscillating Tool Guide System, Wood With Nails Blade, Fast-Cut Wood Blade, Sanding Pad, (25) Sheets of Sanding Paper, Universal Accessory Adaptor, Contractor Bag, and Accessory Storage Box

ITEM #
DCS355D1



### Oscillating Multi-Tool Kit

- Powerful 3.0 Amp motor
- Quick-Change™ Accessory System
- Dual-grip variable speed trigger
- Bright LED light
- 30-piece DeWALT accessories kit

ITEM #
DWE315K



DWA4203-3

### Oscillating Tool Accessories

ITEM #	DESCRIPTION
DWA4215	OSCILLATING 3 PC. SET
DWA4216	OSCILLATING 5 PC. SET
DWA4200	OSCILLATING SANDING PAD
DWA4203-3	OSCILLATING WOOD WITH NAILS BLADE (3 PACK)
DWASPTRI	HOOK & LOOP TRIANGLE SANDPAPER ASSORTMENT (12 PACK)

# GUARANTEED TOUGH.®



DWHT20540

## Jab Saw

- Multiple material usage for use on drywall, plastic and other building materials
- Stainless steel rasp for material removal

ITEM #	DESCRIPTION
DWHT20540	JAB SAW
DWHT20123	FOLDING JAB SAW



## Single Edge Pull Saw

- Flexible blade for easy flush cuts
- Fine finish teeth for precise cuts
- Ideal for a variety of projects - cutting dowels, drywall, branches, shims, trim and more

ITEM #
DWHT20215



## 5" Variable Speed Hook and Loop Random Orbit Sander Kit

- Rubber over-mold grip for comfort and control
- Separate counterweight design reduces vibration
- Innovative one-handed locking dust bag-to-vacuum dust port

ITEM #
DWE6423K



## 5" PSA Pad Random Orbit Sander

- Rubber over-mold grip for comfort and control
- Separate counterweight design reduces vibration
- Innovative one-handed locking dust bag-to-vacuum dust port


ITEM #
DWE6420



## 5" Hook and Loop Random Orbit Sander Kit

- Rubber over-mold grip for comfort and control
- Separate counterweight design reduces vibration
- Innovative one-handed locking dust bag-to-vacuum dust port

ITEM #
DWE6421K



## 5" 8-Hole, Assorted Grit Hook and Loop Random Orbit Sandpaper (5 pack)

- INCLUDES**
- (1) 80 Grit Sandpaper
  - (2) 120 Grit Sandpapers
  - (1) 150 Grit Sandpaper
  - (1) 220 Grit Sandpaper

ITEM #
DW4307



**10" (254mm) Wet Tile Saw**

- 5 gallon water pan allows for quick set-up and break-down
- Compact saw frame allows for easy transport and storage in vehicle (34" x 26")


ITEM #	DESCRIPTION
D24000	HEAVY-DUTY 10" (245mm) WET TILE SAW
D24000S	HEAVY-DUTY 10" (245mm) WET TILE SAW WITH STAND



**8V MAX\* Gyroscopic Screwdriver 2 Battery Kit**

- INCLUDES**
- DCF680 8V MAX\* Gyroscopic Screwdriver
  - (2) 8V MAX\* Compact Batteries
  - Charger
  - Kit Box

ITEM #
DCF680N2



**10 PC. Screwdriver Set**

- Magnetic tip holds screw securely
- Sand-blasted tip for fit in fasteners
- Bi-material quad-lobe handle for torque and comfort
- Precision sand-blasted tip for fit in fasteners

ITEM #
DWHT62513



**Folding/Locking Hex Key Set**

- Push-button locking feature locks in three positions at 90°, 135°, and 180°
- Durable and ergonomic construction steel side plate for torque

ITEM #	DESCRIPTION
DWHT70263M	HEX KEY SET (MM)
DWHT70262M	HEX KEY SET (SAE)



# GUARANTEED TOUGH.®

20V<sup>MAX\*</sup>  
LITHIUM ION



## 20V MAX\* Lithium Ion 10oz/300ML Adhesive Gun Kit

### INCLUDES

- DCE560 Adhesive Gun
- (1) DCB203 20V MAX\* XR® Premium Lithium Ion Battery (2.0 Ah)
- Charger

ITEM #

DCE560D1

20V<sup>MAX\*</sup>  
LITHIUM ION



## 20V MAX\* Lithium Ion Grease Gun Kit

### INCLUDES

- DCGG571 Grease Gun
- (1) DCB204 20V MAX\* XR® Premium Lithium Ion Battery (4.0 Ah)
- Charger
- Shoulder Strap
- Kitbox

ITEM #

DCGG571M1



DCGG571M1



DCF680N2

**DEWALT**

**FLEXVOLT**

POWER OF CORDED. | FREEDOM OF CORDLESS.



**20V<sup>MAX</sup>**  
LITHIUM ION



**60V<sup>MAX</sup>**  
LITHIUM ION



**120V<sup>MAX</sup>**  
LITHIUM ION  
(2 x 60V MAX\*)



The **WORLD'S FIRST** battery that automatically **CHANGES VOLTAGE** when you change tools.

\*Maximum initial battery voltage (measured without a workload) is 20, 60 and 120 volts. Nominal voltage is 18, 54 and 108. 120V MAX\* is based on using 2 DeWALT 60V MAX\* lithium-ion batteries combined.



# BUILD ANYTHING. ANYWHERE.™

FLEXVOLT® tools combine the power and utility of a full-sized, corded tool with the go-anywhere freedom of a cordless tool. Runtime when you want it, power when you need it.

Built Guaranteed Tough®, by DEWALT®.

**60V** MAX<sup>\*</sup>  
LITHIUM ION

MORE THAN  
**3X** POWER\*\*

NO EXTENSION CORDS.  
NO POWER OUTLETS.  
NO EXCUSES.

**DEWALT**®

**FLEXVOLT**®

POWER OF CORDED. | FREEDOM OF CORDLESS.

\*\*vs. DC390 using 18V NiCd battery





60V<sup>MAX</sup>  
LITHIUM ION

**60V MAX\* Lithium Ion 8-1/4" (210mm) Table Saw with 24" (609mm) Rip Capacity**

ITEM #	INCLUDES
DCS7485T1	DCS7485 8-1/4" (210mm) TABLE SAW, (1) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERY, FAST CHARGER, BLADE, WRENCHES, AND PUSH STICK
DCS7485B	DCS7485 8-1/4" (210mm) TABLE SAW, BLADE, WRENCHES, AND PUSH STICK



60V<sup>MAX</sup>  
LITHIUM ION

**60V MAX\* Lithium Ion 7-1/4" (184mm) Circular Saw with Brake**

ITEM #	INCLUDES
DCS575T2	DCS575 7-1/4" (184mm) CIRCULAR SAW, (2) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERIES, FAST CHARGER, BLADE, BLADE CHANGE WRENCH, AND KIT BAG
DCS575T1	DCS575 7-1/4" (184mm) CIRCULAR SAW, (1) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERY, FAST CHARGER, BLADE, BLADE CHANGE WRENCH, AND KIT BAG
DCS575B	DCS575 7-1/4" (184mm) CIRCULAR SAW, BLADE, AND BLADE CHANGE WRENCH



60V<sup>MAX</sup>  
LITHIUM ION

**60V MAX\* Lithium Ion Reciprocating Saw**

ITEM #	INCLUDES
DCS388T2	DCS388 RECIPROCATING SAW, (2) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERIES, FAST CHARGER, BLADE, AND KIT BAG
DCS388T1	DCS388 RECIPROCATING SAW, (1) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERY, FAST CHARGER, BLADE, AND KIT BAG
DCS388B	DCS388 RECIPROCATING SAW AND BLADE

PERFORM  
PROTECT

60V<sup>MAX</sup>  
LITHIUM ION



**60V MAX\* Lithium Ion 4-1/2" - 6" Grinder with Kickback Brake**

ITEM #	INCLUDES
DCG414T2	DCG414 GRINDER, (2) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERIES, FAST CHARGER, SIDE HANDLE, 4-1/2" (115mm) TYPE 27 GUARD, 6" (150mm) TYPE 27 GUARD, WRENCH, FLANGES, AND KIT BAG
DCG414T1	DCG414 GRINDER, (1) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERY, FAST CHARGER, SIDE HANDLE, 4-1/2" (115mm) TYPE 27 GUARD, 6" (150mm) TYPE 27 GUARD, WRENCH, FLANGES, AND KIT BAG
DCG414B	DCG414 GRINDER, SIDE HANDLE, 4-1/2" (115mm) TYPE 27 GUARD, 6" (150mm) TYPE 27 GUARD, WRENCH, AND FLANGES

PERFORM  
PROTECT

60V<sup>MAX</sup>  
LITHIUM ION



**60V MAX\* Lithium Ion 1/2" VSR™ Stud and Joist Drill with E-CLUTCH® System**

ITEM #	INCLUDES
DCD460T2	DCD460 DRILL, (2) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERIES, FAST CHARGER, 2-POSITION SIDE HANDLE, CHUCK KEY AND HOLDER, ADJUSTABLE BAIL HANDLE, AND KIT BAG
DCD460T1	DCD460 DRILL, (1) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERY, FAST CHARGER, 2-POSITION SIDE HANDLE, CHUCK KEY AND HOLDER, ADJUSTABLE BAIL HANDLE, AND KIT BAG
DCD460B	DCD460 DRILL, 2-POSITION SIDE HANDLE, CHUCK KEY AND HOLDER, AND ADJUSTABLE BAIL HANDLE

MADE IN THE  
USA  
WITH GLOBAL MATERIALS

20V<sup>MAX</sup>  
LITHIUM ION



**20V MAX\* Lithium Ion XR® Brushless Premium Hammerdrill & Impact Driver Combo Kit**

- INCLUDES
- DCD996 1/2" XR® Brushless Hammerdrill
  - DCF887 1/4" XR® Brushless Impact Driver
  - DCD996 1/2" XR® Brushless Hammerdrill
  - (1) DCB606 60V MAX\* FLEXVOLT® LITHIUM ION BATTERY (6.0 Ah)
  - (1) DCB203 20V MAX\* XR® PREMIUM LITHIUM ION BATTERY (2.0 Ah)
  - FAST CHARGER, (2) BELT HOOKS, 360° SIDE HANDLE
  - CONTRACTOR BAG

ITEM #
DCK299D1T1



**20V<sup>MAX</sup>**  
LITHIUM ION

Bluetooth®

### 20V MAX\* Lithium Ion Corded/Cordless Bluetooth® LED Large Area Light with Built-In Battery Charger

- Instant on/off with no warm-up. Dimming option with left or right side only lighting

ITEM #	INCLUDES
DCL070T1	DCL070 LED LARGE AREA LIGHT, (1) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERY, AND FAST CHARGER
DCL070	DCL070 LED LARGE AREA LIGHT



**20V<sup>MAX</sup>**  
LITHIUM ION

**60V<sup>MAX</sup>**  
LITHIUM ION

### 1800 Watt Portable Power Station™ and Parallel Battery Charger

- 120V AC power virtually anywhere
- 15 Amp and multi-port charger in one. Operates in either power or charging mode.

ITEM #	INCLUDES
DCB1800M3T1	DCB1800 PORTABLE POWER STATION™, (1) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERY, (3) DCB204 LITHIUM ION BATTERIES
DCB1800B	DCB1800 PORTABLE POWER STATION™



**20V<sup>MAX</sup>**  
LITHIUM ION

**60V<sup>MAX</sup>**  
LITHIUM ION

Bluetooth®

### Jobsite Bluetooth® Radio Charger

- Radio runs off DeWALT batteries or AC power cord (batteries sold separately)
- Bluetooth® wireless streaming up to 100 ft.
- Device storage box includes 2.1 Amp USB charging and auxiliary port
- (2) AC power outlets

ITEM #
DCR025

**120V<sup>MAX</sup>**  
LITHIUM ION



### 12" (305mm) 120V MAX\* Lithium Ion Double Bevel Compound Sliding Miter Saw With Cutline™ Blade Positioning System

ITEM #	INCLUDES
DHS790AT2	DHS790 MITER SAW, (2) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERIES, FAST CHARGER, DCA120 CORDED POWER SUPPLY, BLADE, BLADE WRENCH, AND DUST BAG
DHS790T2	DHS790 MITER SAW, (2) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERIES, FAST CHARGER, BLADE, BLADE WRENCH, AND DUST BAG
DHS790AB	DHS790 MITER SAW, DCA120 CORDED POWER SUPPLY, BLADE, BLADE WRENCH, AND DUST BAG

**120V<sup>MAX</sup>**  
LITHIUM ION



### 12" (305mm) 120V MAX\* Lithium Ion Double Bevel Compound Miter Saw With Cutline™ Blade Positioning System

ITEM #	INCLUDES
DHS716AT2	DHS716 MITER SAW, (2) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERIES, FAST CHARGER, DCA120 CORDED POWER SUPPLY, BLADE, BLADE WRENCH, AND DUST BAG
DHS716T2	DHS716 MITER SAW, (2) DCB606 60V MAX* FLEXVOLT® LITHIUM ION BATTERIES, FAST CHARGER, BLADE, BLADE WRENCH, AND DUST BAG
DHS716AB	DHS716 MITER SAW, DCA120 CORDED POWER SUPPLY, BLADE, BLADE WRENCH, AND DUST BAG

**20V<sup>MAX</sup>**  
LITHIUM ION

**60V<sup>MAX</sup>**  
LITHIUM ION



### FLEXVOLT® 20 MAX\* / 60V MAX\* BATTERY PACK

- 4X runtime compared to DCB201 20V MAX\* 1.5 Ah battery
- 3X Power compared to DC9096 18V battery
- Tri-Platform Compatibility: 20V MAX\*, 60V MAX\* and 120V MAX\*

ITEM #
DCB606



DWAFV3724



DWAFV31260

## Circular Saw Blades

- Engineered to maximize runtime
- Thin kerf design for smooth, efficient cuts

ITEM #	DIAMETER	TOOTH COUNT	PACK
DWAFV3724	7-1/4"	24	1
DWAFV3736	7-1/4"	36	1
DWAFV3760	7-1/4"	60	1
DWAFV37243	7-1/4"	24	1
DWAFV3836	8-1/4"	36	1
DWAFV3824	8-1/4"	24	1
DWAFV31278	12"	78	1
DWAFV31260	12"	60	1



DWAFV86045



DWAFV84518

## Cutting Wheels

- High Performance ceramic grain stays sharp for fast material removal
- High density grain concentration for fast cutting and low heat build up

ITEM #	DIAMETER	THICKNESS	PACK
DWAFV84518	4-1/2"	1/8"	25
DWAFV84518H	4-1/2"	1/8"	10
DWAFV86045	6"	0.045"	25
DWAFV845045	4-1/2"	0.045"	25



DWAFV84540



DWAFV84560

## Flap Discs

- High Performance ceramic grain stays sharp for fast material removal
- High density grain concentration for fast cutting and low heat build up

ITEM #	DIAMETER	GRIT	PACK
DWAFV84540	4-1/2"	40	10
DWAFV84560	4-1/2"	60	10
DWAFV84580	4-1/2"	80	10
DWAFV84540H	4-1/2"	40	5
DWAFV84560H	4-1/2"	60	5
DWAFV84580H	4-1/2"	80	5





DWAFV84514



DWAFV84514H

## Grinding Wheels

- High Performance ceramic grain stays sharp for fast material removal
- High density grain concentration for fast cutting and low heat build up

ITEM #	DIAMETER	THICKNESS	PACK
DWAFV84514	4-1/2"	1/4"	25
DWAFV84514H	4-1/2"	1/4"	10



DWAFV86045



DWAFV31260

## Reciprocating Saw Blades

- High speed steel teeth for long life and durability
- TOUGH COAT™ finish helps to reduce heat build up for efficient cuts

ITEM #	LENGTH	TPI	PACK
DWAFV413SET	MULTIPLE	MULTIPLE	1
DWAFV48SET	MULTIPLE	MULTIPLE	1
DWAFV481418	9"	14/18TPI	5
DWAFV461418	6"	14/18TPI	5
DWAFV466	6"	4/6TPI	5
DWAFV496	9"	4/6TPI	5



DWAFV0514



DWAFV03



DWAFV0138

## Hole Saws

- Carbide Teeth for long life
- Thin Kerf Design for high efficiency

ITEM #	DIAMETER	PACK
DWAFV0138	1-3/8"	1
DWAFV0218	2-1/8"	1
DWAFV0214	2-1/4"	1
DWAFV02916	2-9/16"	1
DWAFV02916PB	2-9/16"	1 with Pilot Bit
DWAFV03	3"	1
DWAFV0338	3-3/8"	1
DWAFV0358	3-5/8"	1
DWAFV0400	4"	1
DWAFV0414	4-1/4"	1
DWAFV04516	4-5/16"	1
DWAFV0458	4-5/8"	1
DWAFV0514	5-1/4"	1
DWAFV0614	6 1/4"	1
DWAFV0PB	Pilot Bit	1
DWAFV0PBM	Mandrel, Pilot Bit	1
DWAFV07SET	7 PC. Set	1

**SITE CLEANUP**



**GUARANTEED TOUGH.®**

\*With respect to 8V MAX\*, maximum initial battery voltage (measured without a workload) is 8 volts. Nominal voltage is 7.2.  
\*With respect to 12V MAX\*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.  
\*Maximum initial battery voltage (measured without a workload) is 20, 60 and 120 volts. Nominal voltage is 18, 54 and 108. 120V MAX\* is based on using 2 DeWALT 60V MAX\* lithium-ion batteries combined.

# GUARANTEED TOUGH.®



**DCV580**

## 20V MAX\*/18V Wet-Dry Vacuums

- Cordless operation powered 18V or 20V MAX\* batteries
- 2-Gallon Tank Capacity
- Easily accessible, washable/reusable filter

ITEM #	DESCRIPTION
DCV580	20V MAX*/18V CORDLESS WET-DRY VACUUM
DCV581H	20V MAX*/18V HEPA CORDLESS/CORDED WET-DRY VACUUM



## 10 Gallon Wet-Dry HEPA Dust Extractor

- Automatic filter clean
- 15.0 Amp motor delivers 140 CFM of airflow
- Lightweight and portable

ITEM #
DWV012



## 8 Gallon HEPA/RRP Dust Extractor with Automatic Filter Cleaning

- Automatic filter clean pulses every 30 seconds for continuous operations without stopping to clean filter
- 15.0 Amp motor delivers 150 CFM of airflow

ITEM #
DWV010



**D25303DH**

## Dust Extraction SDS Rotary Hammers

- For use with D25303, D25304, D25313, D25314, D25323, and D25324 hammers

ITEM #	DESCRIPTION
D25301D	DUST EXTRACTOR TELESCOPE WITH HOSE FOR SDS ROTARY HAMMERS
D25303DH	DUST EXTRACTION FOR L-SHAPE SDS ROTARY HAMMER



**DWH053K**

## Large Hammer Dust Extraction

ITEM #	DESCRIPTION
DWH050K	LARGE HAMMER DUST EXTRACTION - HOLE CLEANING
DWH053K	LARGE HAMMER DUST EXTRACTION - CHISELING
DWH052K	LARGE HAMMER DUST EXTRACTION - DEMOLITION



**DWV9320**

## Dust Extraction Bags and Replacement Filters

ITEM #	DESCRIPTION
DWV9320	REPLACEMENT HEPA FILTER SET FOR DWV012 (TYPE 1)
DWV9330	REPLACEMENT HEPA FILTER SET FOR DWV010 AND DWV012 (TYPE 2)
DWV9401	PAPER BAG (5 PACK) FOR DeWALT DUST EXTRACTORS





**20V MAX\* Lithium Ion XR®  
Brushless Handheld Blower  
(5.0 Ah)**

- Up to 400 CFM of air volume at 90 MPH to clear debris
- Innovative axial fan design that maximizes on air output and run time
- Low noise during operation - 61 dB(A) ideal for regions and properties with noise restrictions

ITEM #
DCBL720P1



**20V MAX\* Lithium Ion Compact  
Jobsite Blower (4.0 Ah)**

- Max Air Flow 100 CFM
- Variable speed trigger allows adjustment of blowing power in use
- Lightweight compact design allows use in space restricted areas
- Trigger lock-on

ITEM #
DCE100M1




**40V MAX\* Lithium Ion XR®  
Brushless Backpack Blower  
(7.5 Ah)**

- Up to 450 CFM of air volume at 142 MPH to clear heavy debris
- High-efficiency brushless motor maximizing run time and motor life
- Low noise during operation - 63 dB(A). Ideal for regions and properties with noise restrictions

ITEM #
DCBL590X1





**BATTERIES, CHARGERS, AND ADAPTORS**

**GUARANTEED TOUGH.®**

\*With respect to 8V MAX\*, maximum initial battery voltage (measured without a workload) is 8 volts. Nominal voltage is 7.2.  
\*With respect to 12V MAX\*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.  
\*Maximum initial battery voltage (measured without a workload) is 20, 60 and 120 volts. Nominal voltage is 18, 54 and 108. 120V MAX\* is based on using 2 DeWALT 60V MAX\* lithium-ion batteries combined.





**20V MAX\* Compact XR® Lithium Ion Battery Pack**

- Compact XR® Lithium Ion pack provides up to 33% more capacity than standard compact 20V MAX\* battery packs
- No memory and virtually no self-discharge for maximum productivity and less downtime
- 3-LED fuel gauge system allows immediate feedback on state of charge

ITEM #
DCB203



**20V MAX\* Premium XR® Lithium Ion Battery Pack**

- Premium XR® Lithium Ion pack provides up to 33% more capacity than standard premium 20V MAX\* battery packs
- 3-LED fuel gauge system allows immediate feedback on state of charge
- Weighs 1.42 lbs allowing user maximum run-time in a lightweight battery

ITEM #
DCB204



**20V MAX\* Premium XR® 5.0 Ah Lithium Ion Battery Pack**

- 3-LED Fuel Gauge allows immediate feedback on state of charge
- Lightweight at 1.4 lbs and compatible with entire line of current DEWALT 20V MAX\* tools

ITEM #
DCB205



**12V MAX\* / 20V MAX\* Lithium Ion Vehicle Battery Charger**

- Charges all DEWALT 12V MAX\* - 20V MAX\* Lithium Ion batteries from a vehicle's power outlet enabling batteries to be charged while driving to work or on a job site
- Automatic shut-off protects excessive discharge of vehicle's battery

ITEM #
DCB119



**20V MAX\* Fan Cooled Fast Charger**

- Diagnostics with LED indicator communicates battery charge status
- Charges DEWALT 12V MAX\* - 20V MAX\* Lithium Ion batteries

ITEM #	DESCRIPTION
DCB118	FAN COOLED FAST CHARGER
DCB102	JOBSITE CHARGING STATION



**18V to 20V MAX\* Battery Adaptor**

- Allows for use of 20V MAX\* batteries in most DEWALT 18V Tools
- Adaptor requires the use of 20V MAX\* charger
- Do not use with premium DEWALT batteries in DC970 or DC759 tools

ITEM #	DESCRIPTION
DCA1820	18V TO 20V MAX* ADAPTOR
DCA2203C	20V MAX* BATTERY ADAPTOR KIT FOR MOST DEWALT 18V TOOLS



# GUARANTEED TOUGH.®



**40V**  
MAX\*  
LITHIUM ION

## 40V MAX\* Lithium Ion Battery Pack (4.0 Ah)

- Compatible with all DEWALT 40V MAX\* Outdoor Power Equipment
- No memory and virtually no self-discharge for maximum productivity and less downtime
- 3-LED fuel gauge system allows immediate feedback on state of charge

ITEM #
DCB404



**40V**  
MAX\*  
LITHIUM ION

## 40V MAX\* Premium XR® Lithium Ion Battery Pack (6.0 Ah)

- Premium XR® Lithium Ion pack provides up to 50% more capacity than DCB404 4.0 Ah battery
- 3-LED fuel gauge system allows immediate feedback on state of charge
- No memory and virtually no self-discharge for maximum productivity and less downtime

ITEM #
DCB406



**40V**  
MAX\*  
LITHIUM ION

## 40V MAX\* Standard Charger

- Charges all DEWALT 40V MAX\* Lithium Ion batteries
- Charges 6.0 Ah battery in 130 minutes or less
- Charges 4.0 Ah battery in 90 minutes or less
- Charges 7.5 Ah battery in 170 minutes

ITEM #
DCB114



**DCB102**



**STORAGE**



**GUARANTEED TOUGH.®**



# GUARANTEED TOUGH.®



## 24" Storage Tote

- Top case for power tools and small parts with an integrated handle
- Long metal carry handle for grip when carrying



## ToughSystem® Storage Cases

- Durable structural foam box walls give robust structure to the stand alone units
- Integrated water seal in every unit for protection of contents and long life for your equipment



## ToughSystem® DS Carrier

- Metal carrier with adjustable foldable brackets allows tailored configuration
- Central locking mechanism secures the boxes to the frame

ITEM #	DESCRIPTION
DWST24070	24" TOTE WITH POWER TOOL CASE
DWST24075	24" TOTE WITH ORGANIZER

ITEM #	DESCRIPTION
DWST08201	DS150 SMALL CASE
DWST08203	DS300 LARGE CASE
DWST08204	DS400 XL CASE

ITEM #
DWST08210



## Adjustable Metal Legs Sawhorse

- Mechanism with easy slide movements adjusts legs separately for work on uneven surfaces
- High quality combination of metal and plastic for load capacity on pair of up to 2500 lbs.



## Multi-Level Workshop

- Creates Workstation for storage of large tools in bottom bin, organization of small parts in middle compartments, and top tool box
- Reinforced Telescopic, Metal Pull Handle for easy maneuvering and comfortable hold



## 15 Gallon Contractor Chest

- One-Touch Latch for quick and easy opening
  - Large, 7" Wheels for easy steering on jobsite
  - 3-Position Tray for organization of small parts inside or outside the extended handle
- (Tools and accessories sold separately.)

ITEM #
DWST11031

ITEM #
DWST20880

ITEM #
DWST33090



**40" 5 Drawer Top Chest Metal Storage Cabinet**

- Heavy-duty drawer slides with 100 lb. capacity
- Thick gauge steel body for durability
- 10-3/8" deep top lid provides enough space to stand up DEWALT® cordless power tools
- Heavy-duty casters

ITEM #
DWMT74433



**40" 8 Drawer Top Chest Metal Storage Cabinet**

- Heavy-duty drawer slides with 100 lb. capacity
- 200 lb. capacity, extra deep bottom drawer
- Auto-return drawers keep drawers securely closed while maneuvering around work site
- 18" drawer depth

ITEM #
DWMT74434



**DWST08203**



**DWST08201**  
(Tools and accessories sold separately.)



# FACTORY SERVICE

TOOL AND EQUIPMENT REPAIR

# 1-800-4 DEWALT®

State/City/Zip	Street	Phone
<b>AK</b>		
Anchorage, 99503	4831 Old Seward Highway, Suite 103	907-561-7181
<b>AL</b>		
Birmingham, 35209	321 Valley Ave., Suite B	205-942-0538
Mobile, 36693	732 Lakeside Dr.	251-602-1000
<b>AR</b>		
North Little Rock, 72113	9600 Maumelle Blvd.	501-372-3040
<b>AZ</b>		
Phoenix, 85040	4001 East Broadway, Suite B-11	602-437-1200
<b>CA</b>		
Hayward, 94545	2512 Tripaldi Way	510-783-3959
San Diego, 92111	7290 Clairemont Mesa Blvd.	858-279-2011
Anaheim, 92806	1119 North Kraemer Blvd.	714-414-0369
Sacramento, 95834	1015 N. Market Blvd. Unit 2	916-419-7259
Ontario, 91761	1352 South Grove Ave., Suite B	909-930-1437
<b>CO</b>		
Denver, 80223	700 West Mississippi Ave., Unit B1	303-922-8325
<b>CT</b>		
Wethersfield, 06109-3001	662 Silas Deane Hwy.	860-563-5800
<b>FL</b>		
Davie, 33314	4343 South State Rte 7, Unit 107	954-321-6635
Tampa, 33634	4909 West Waters Ave.	813-884-0434
Jacksonville, 32205-4898	920 Cassat Ave.	904-781-2253
Orlando, 32807	6100 Hanging Moss Rd., Suite 520	407-657-0474
West Palm Beach, 33415	4645 Gun Club Rd., Suite 27	561-689-3247
<b>GA</b>		
Norcross, 30071	6115-C Jimmy Carter Blvd.	770-246-1710
<b>HI</b>		
Honolulu, 96819	111 Sand Island Access Rd., Suite R-17	808-842-9925
<b>IA</b>		
Des Moines, 50310	3408 Merle Hay Rd., Suite A	515-270-1340
<b>IL</b>		
Tinley Park, 60477	8201 West 183rd St., Suite P	708-614-1596
Bensenville, 60106	800 Thorndale Ave.	630-521-1097
<b>IN</b>		
Indianapolis, 46224-3707	5999 Crawfordsville Rd.	317-243-8308
<b>KS</b>		
Overland Park, 66214	9201 Quivira Rd.	913-495-4330
Wichita, 67213	2333 S. West St.	316-943-1271
<b>KY</b>		
Louisville, 40213	2001 Fern Valley Rd.	502-380-3748
<b>LA</b>		
Metairie, 70001	1801 Airline Dr., Suite D	504-832-2187
Baton Rouge, 70816	10699 Airline Highway, Suite C	225-296-3191
Shreveport, 71108	7702 Jewella Rd.	318-688-1553
<b>MA</b>		
Westwood, 02090	377 University Ave.	781-329-3407
<b>MD</b>		
Baltimore, 21227	1646 Sulphur Spring Rd.	410-536-0722
Capitol Heights, 20743	7957-63 Central Ave.	301-333-0865
<b>MI</b>		
Grandville, 49418	2982 28th St., S.W.	616-261-0425
Madison Heights, 48071	30475 Stephenson Hwy.	248-597-5000
<b>MN</b>		
Eden Prairie, 55344	9709 Valley View Rd., Suite 9709	952-884-9191
<b>MO</b>		
St. Louis, 63146	11477 Page Service Dr.	314-997-9100

State/City/Zip	Street	Phone
<b>NC</b>		
Charlotte, 28208	3557-B Wilkinson Blvd.	704-392-0245
Greensboro, 27407	3402 West Wendover Ave., Suite E	336-852-1300
Raleigh, 27604-3235	2930 Capital Blvd.	919-878-0357
<b>NJ</b>		
Elmwood Park, 07407	213 Route 46 West, Suite #4	201-475-3524
<b>NM</b>		
Albuquerque, 87110-3233	5617 Menaul Blvd. N.E.	505-884-1002
<b>NV</b>		
Las Vegas, 89118	5565 S. Decatur Blvd., Suite 103	702-889-6025
<b>NY</b>		
Buffalo, 14209-1297	881 W. Delavan Ave.	716-884-6220
Woodside, 11377-4741	56-15 Queens Blvd.	718-335-1042
Rochester, 14623-2594	2969 W. Henrietta Rd.	585-424-1310
Hauppauge, 11788	180 Oser Ave., Suite 100	631-952-2008
Latham, 12110-2497	836 Troy-Schenectady Rd.	518-785-1867
<b>OH</b>		
Parma, 44130	12100 Snow Rd., Suite 2	440-842-9100
Cincinnati, 45241-1896	2310 E. Sharon Rd.	513-772-3111
Columbus, 43229	1948 Schrock Rd.	614-895-3112
Maumee, 43537	3661 Briarfield Blvd.	419-867-8561
<b>OK</b>		
Oklahoma City, 73139	8507 South Western	405-634-8403
Tulsa, 74146	11414 East 51st St., Unit C	918-249-8641
<b>OR</b>		
Portland, 97230	14811 North East Airport Way, Suite 600	503-255-6556
<b>PA</b>		
Philadelphia, 19148	2715 South Front St.	215-271-5500
Pittsburgh, 15201	3234 Penn Ave.	412-642-0204
Whitehall, 18052-4522	2242 MacArthur Rd.	610-435-9544
York, 17402	2201 Industrial Highway	717-755-3441
<b>SC</b>		
North Charleston, 29405	4365 Dorchester Rd., Suite 104	843-745-9197
Greenville, 29605	1259 South Pleasantburg Dr., Unit C	864-299-8662
<b>TN</b>		
Memphis, 38133	2686 Kirby-Whitten Rd., Suite 102	901-384-8100
Nashville, 37210	746 Fesslers Lane	615-242-1633
Knoxville, 37917-2699	4118 North Broadway	865-688-0921
<b>TX</b>		
Carrollton, 75006	1300 Interstate 35 North, Suite 112	972-446-2996
Houston, 77040	10245 W. Little York, Suite 300	713-692-7111
San Antonio, 78216	1218 Arion Parkway, Suite 114	210-732-1221
Fort Worth, 76111-5944	721 North Beach St.	817-831-3828
El Paso, 79915-1007	6822 Gateway East	915-778-9769
McAllen, 78501	200 North McColl, Suite H	956-661-1122
Austin, 78758	2219 Braker Lane	512-382-3971
<b>UT</b>		
Salt Lake City, 84104	3060 West California Ave., Suite I	801-486-5828
<b>VA</b>		
Richmond, 23230	2256 Dabney Rd., Suite F	804-353-1197
Virginia Beach, 23455	5760 Northampton Blvd., Suite 110	757-363-0091
<b>WA</b>		
Seattle, 98134	2100 Airport Way S.	206-763-2010
Spokane, 99212	5308 East Sprague Ave.	509-535-9252
<b>WI</b>		
West Milwaukee, 53214	1650 Miller Parkway	414-645-4285
<b>WV</b>		
Charleston, 25312-2495	1638 Sixth Ave.	304-343-0289

For the most up-to-date Authorized Service Center listings, please contact 1-800-433-9258 or visit [www.DEWALT.com](http://www.DEWALT.com).

## PNEUMATIC NAILERS AND STAPLERS TOOL WARRANTY

<b>7 YEAR</b> LIMITED WARRANTY	<b>1 YEAR</b> FREE SERVICE	<b>90 DAY</b> MONEY BACK GUARANTEE
--	--------------------------------------	--

## CORDLESS TOOLS TOOL WARRANTY

<b>3 YEAR</b> LIMITED WARRANTY	<b>1 YEAR</b> FREE SERVICE	<b>90 DAY</b> MONEY BACK GUARANTEE
--	--------------------------------------	--

## COMPRESSORS WARRANTY

<b>3 YEAR</b> LIMITED WARRANTY
--

## BATTERIES BATTERY WARRANTY

<b>3 YEAR</b> LIMITED WARRANTY	<b>3 YEAR</b> FREE SERVICE
--	--------------------------------------



## Drywall Sander

- Variable-speed dial settings from 1,400-2,000 RPM
- Brush-type skirt surrounds sanding pad, preventing gouging of wall joints and aiding in dust collection

## Drywall Pads With Abrasive Discs

ITEM #	DESCRIPTION
77085	9" 80G DRYWALL PAD WITH ABRASIVE DISC 5 PACK
77105	9" 100G DRYWALL PAD WITH ABRASIVE DISC 5 PACK
77125	9" 120G DRYWALL PAD WITH ABRASIVE DISC 5 PACK
77155	9" 150G DRYWALL PAD WITH ABRASIVE DISC 5 PACK
77185	9" 180G DRYWALL PAD WITH ABRASIVE DISC 5 PACK
77225	9" 220G DRYWALL PAD WITH ABRASIVE DISC 5 PACK

ITEM #
7800



7800



7800





**Trak-It® Accessories**

**Pole Tool Accessories**

**Trak-It® C5 Gas Fastening System**

- Developed for use in light-duty, static applications including drywall track to concrete, block, or steel, lath to concrete or block, furring strips to concrete or block, and plywood to concrete or block base materials
- Designed for speed, efficiency, and consistency

ITEM #	DESCRIPTION
56342-PWR	ACCESSORY DEEP TRACK; 1-1/4" PIN LENGTH
56346-PWR	ACCESSORY SHORT TRACK; 1-1/2" PIN LENGTH
56344-PWR	ACCESSORY LONG TRACK; 1-1/2" PIN LENGTH
55618-PWR	REPLACEMENT CHARGER BASE
55619-PWR	REPLACEMENT CHARGER ADAPTOR CORD (110V)
55583-PWR	EXTRA BATTERY FOR TRAK-IT® TOOL

ITEM #	DESCRIPTION
56347-PWR	TRAK-IT® C5 POLE TOOL ACCESSORY (TRAK-IT® C5 NOT INCLUDED)
56348-PWR	TRAK-IT® POLE TOOL 3' EXTENSION

ITEM #
TRAK-IT® C5





**P35S™ Powder-Actuated Load Strip Tool**


- Attaches steel, wood members, accessories, ceiling clips or threaded rods to concrete, block, or steel

**.25 Caliber Strip Loads**

- For P35S™ Powder Actuated Tool
- 10 load strips available in power levels: Green (3), Yellow (4), and Red (5)

ITEM #	DESCRIPTION
50570-PWR	GREEN
50574-PWR	YELLOW
50578-PWR	RED
50572-PWR	MASTER PACK - GREEN
50576-PWR	MASTER PACK - YELLOW
50580-PWR	MASTER PACK - RED

ITEM #
P35S™



**P3500™ Powder-Actuated Fastening System**

- Installs .300" head drive pins, 8mm head drive pins, and 1/4"-20 threaded studs up to 3" total in length
- Designed for high speed, durability, and repetitive volume applications

**.27 Caliber Safety Strip® Loads**

- For P35S™ Powder Actuated Tool
- 10 load strips available in power levels: Green (3), Yellow (4), and Red (5)

ITEM #	DESCRIPTION
50620-PWR	BROWN
50622-PWR	GREEN
50626-PWR	YELLOW
50630-PWR	RED
50624-PWR	MASTER PACK - GREEN
50628-PWR	MASTER PACK - YELLOW
50580-PWR	MASTER PACK - RED

ITEM #
P3500™







### SNIPER® Semi-Automatic Pole Tool

- Ideal for installing overhead ceiling clips with a 1-1/2" pin
- Internal safety sequence strip loading mechanism which must be manually pulled to advance the next load

ITEM #
52051-PWR



### Trigger-Style Pole Tools

- Mechanism with easy slide movements adjusts legs separately for work on uneven surfaces
- High quality combination of metal and plastic for load capacity on pair of up to 2500 lbs.

ITEM #	DESCRIPTION
50065-PWR	STANDARD 6' POLE TOOL
50066-PWR	STANDARD 8' POLE TOOL



### Ceiling Clip Assemblies

.300" Head Diameter, .145" Shank Diameter

- Combinations of drive pins and stamped steel clips designed for specific applications
- Pins are held in the clips using a dome mechanism
- For use in normal-weight concrete, sand-lightweight concrete, concrete over metal deck, grout-filled masonry

ITEM #	DESCRIPTION
50364-PWR	1" , .278" WIRE HOLE
50368-PWR	1-1/8" (ECONOMY CLIP) .278" WIRE HOLE
50370-PWR	1-1/4" , .278" WIRE HOLE



### Ceiling Clip Assemblies

8mm Head Diameter, .145" Shank Diameter

- Combinations of drive pins and stamped steel clips designed for specific applications
- Pins are held in the clips using a dome mechanism
- For use in normal-weight concrete, sand-lightweight concrete, concrete over metal deck, grout-filled masonry

ITEM #	DESCRIPTION
50272-PWR	27MM , .278" WIRE HOLE
50274-PWR	32MM , .278" WIRE HOLE
50206-PWR	1-1/4" , .278" WIRE HOLE



### Ceiling Clip Assemblies

.300" Head Diameter, .181/.150" Shank Diameter

- Combinations of drive pins and stamped steel clips designed for specific applications
- Pins are held in the clips using a dome mechanism
- For use in normal-weight concrete, sand-lightweight concrete, concrete over metal deck, grout-filled masonry

ITEM #	DESCRIPTION
50058-PWR	1-1/4" / 45° CEILING CLIP , .278" WIRE HOLE
50206-PWR	7/8" / 90° CEILING CLIP , .278" WIRE HOLE



### Drive Pins

.300" Head Diameter, .145" Shank Diameter

- Permanent fastening
- Knurled shank design available to increase performance in steel base materials
- Plastic flute mounted over point retains the drive pin fastening guide during driving operation

ITEM #	DESCRIPTION
50012-PWR	1/2" KNURLED
50016-PWR	5/8" KNURLED
50022-PWR	3/4"
50023-PWR	3/4" BLACK
50026-PWR	1"
50032-PWR	1-1/4"
50034-PWR	1-1/2"
50038-PWR	2"
50040-PWR	2-1/4"
50044-PWR	2-1/2"
50048-PWR	3"




### Drive Pins • Top Hat

.300" Head Diameter, .145" Shank Diameter

- Permanent fastening
- Knurled shank design available to increase performance in steel base materials
- "Top Hat" pins provide extra bearing surface against the drywall track
- Plastic flute mounted over point retains the drive pin fastening guide during driving operation

ITEM #	DESCRIPTION
50136-PWR	1/2" KNURLED
50138-PWR	5/8" KNURLED
50140-PWR	3/4"



### Drive Pins • Washered

.300" Head Diameter, .145" Shank Diameter

- Permanent fastening
- Plastic flute mounted over point
- Pre-assembled washered pins provide resistance to pullover

ITEM #	DESCRIPTION
50070	3/4" WITH 3/4" WASHER
50080	2-1/2" WITH 3/4" WASHER
50090	1" WITH 7/8" WASHER
50092	1-1/4" WITH 7/8" WASHER
50094	1-1/2" WITH 7/8" WASHER
50096	2" WITH 7/8" WASHER
50098	2-1/2" WITH 7/8" WASHER
50100	3" WITH 7/8" WASHER
50108	1-1/4" WITH 1" WASHER
50110	1-1/2" WITH 1" WASHER
50112	2" WITH 1" WASHER
50114	2-1/2" WITH 1" WASHER
50116	3" WITH 1" WASHER



### Drive Pins

8mm Head Diameter  
.145" Shank Diameter

- Permanent fastening
- Knurled shank design available to increase performance in steel base materials

ITEM #	DESCRIPTION
50180	16MM KNURLED - 5/8"
50182	19MM KNURLED - 3/4"
50184	22MM - 7/8"
50186	27MM - 1"
50188	32MM - 1-1/4"
50190	37MM - 1-1/2"
50192	42MM - 1-5/8"
50194	47MM - 1-7/8"
50196	52MM - 2"
50198	57MM - 2-1/4"
50200	62MM - 2-1/2"
50202	72MM - 2-7/8"



### Drive Pins • Top Hat

8mm Head Diameter  
.145" Shank Diameter

- Permanent fastening
- Knurled shank design available to increase performance in steel base materials
- "Top Hat" pins provide extra bearing surface against the drywall track
- Plastic flute mounted over point retains the drive pin fastening guide during driving operation

ITEM #	DESCRIPTION
50210-PWR	16MM KNURLED - 5/8"
50214-PWR	22MM - 7/8"
50216-PWR	27MM - 1"



### Drive Pins • Washered

8mm Head Diameter  
.145" Shank Diameter

- Permanent fastening
- Plastic flute mounted over point retains the drive pin fastening guide during driving operation
- Pre-assembled washered pins provide resistance to pullover

ITEM #	DESCRIPTION
50220-PWR	27MM - 1"
50222-PWR	32MM - 1-1/4"
50224-PWR	37MM - 1-1/2"
50226-PWR	52MM - 2"
50228-PWR	12MM - 2-1/2"



### Spiral CSA Drive Pins

8mm Head Diameter  
.145" Shank Diameter

- Permanent fastening
- Plastic flute mounted over point retains the drive pin fastening guide during driving operation
- Pre-assembled washered pins provide resistance to pullover

#### 3/4" Washer

ITEM #	DESCRIPTION
50245-PWR	3/4" (19MM)
50247-PWR	1" (27MM)
50249-PWR	1-1/4" (32MM)

#### 1" Washer

ITEM #	DESCRIPTION
50261-PWR	1-1/4" (32MM)
50263-PWR	2-1/2" (62MM)
50265-PWR	2-7/8" (72MM)





## FASTENING INNOVATIONS

# Powers® Fasteners Branch Information Nation-wide Customer Service: 1-800-524-3244

### ALABAMA + ATLANTA

6115-C Jimmy Carter Blvd., Norcross, GA 30071 **770-246-1710**

### BOSTON

2 Powers Lane, Brewster, NY 10509 **800-524-3244**  
**877-871-1965**

### CHARLOTTE

349 L West Tremont Avenue, Charlotte, NC 28203 **704-375-5012**

### CHICAGO

901 S Rohlwing Road, Unit A, Addison, IL 60101 **630-960-3156**

### DALLAS

1300 I-35 North, Suite #118, Carrollton, TX 75006 **972-446-5985**

### DENVER

700 West Mississippi Avenue, Unit B-1, Denver, CO 80223 **303-922-9202**

### DETROIT

21600 Wyoming Avenue, Oak Park, MI 48237 **248-543-8600**  
**248-543-8601**

### FLORIDA

2412 Lynx Lane, Orlando, FL 32804 **813-626-4500**  
**813-626-4545**

### HOUSTON

13833 North Promenade, Suite 100, Stafford, TX 77477 **281-491-0351**  
**281-491-0367**

### INDIANAPOLIS

15290 Stony Creek Way, Noblesville, IN 46060 **317-773-1668**  
**317-773-1690**

### LOS ANGELES

2761 Dow Avenue, Tustin, CA 92780 **714-731-2500**

### MARYLAND

3137-B Pennsy Drive, Landover, MD 20785 **301-773-1722**

### MILWAUKEE

1650 Miller Parkway, Milwaukee, WI 53214 **414-645-8821**

### MINNEAPOLIS

351 Wilson Street, NE, Minneapolis, MN 55413 **612-644-3047**

### MISSOURI

3225 Harvester Road, Kansas City, KS 66115 **816-472-5033**  
**816-472-5040**

### NASHVILLE

746 Fessler Lane, Nashville, TN 37210 **615-248-2667**

### NEW ORLEANS

102 Sampson Street, Houston, TX 77003 **713-228-1524**  
**713-228-1528**

### NEW YORK + PHILADELPHIA

2 Powers Lane, Brewster, NY 10509 **800-524-3244**  
**877-871-1965**

### PHOENIX

3602 E. Southern Avenue, Suite 5, Phoenix, AZ 85040 **602-431-8024**

### PORTLAND

18609 72nd Avenue, South Kent, WA 98032-1082 **425-251-0312**

### ROCHESTER

245 Summit Point Drive, Suite 2A, Rochester, NY 14467 **585-334-1423**

### SALT LAKE CITY

3120 W. California Avenue, Suite E, Salt Lake City, UT 84104 **801-466-9428**

### SAN FRANCISCO

28970 Hopkins Street, Suite D, Hayward, CA 94545 **510-293-1500**

### SEATTLE

18609 72nd Avenue, South Kent, WA 98032-1082 **425-251-0312**

# WALL AND INTERIOR SOLUTIONS

**CONTACT - KEVIN BURROUGHS 443-677-2972  
FOR CUSTOMER SERVICE, PLEASE CALL 800-235-2000**

DEALER STAMP

Copyright ©2017 Stanley Black & Decker. The following are examples of trademarks for one or more DeWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool. The following are examples of trademarks for one or more PORTER-CABLE power tools and accessories: a gray and black color scheme; a "four point star" design; and three contrasting/outlined longitudinal stripes.