

Weidmüller Interface GmbH & Co. KG

1

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com







- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

General ordering data

Version	Automatic stripper and crimper
Order No.	9028500000
Туре	CRIMPFIX R
GTIN (EAN)	4008190860073
Qty.	1 ST





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Аp	pro	vals
----	-----	------

Approvals



ROHS Conform

Dimensions and weights

Depth	330 mm	Depth (inches)	12.9921 inch
Height	430 mm	Height (inches)	16.9291 inch
Width	390 mm	Width (inches)	15.3543 inch
Net weight	23957 g		

Environmental Product Compliance

RoHS Compliance Status	Compliant with exemption
RoHS Exemption (if applicable/known)	6c, 7a, 7cl
REACH SVHC	Lead 7439-92-1
SCIP	d2df479e-2b79-4e98-adc7-b03577df98ae

PW65 maintenance - automatic stripping/crimping

Stripping range	0.5 - 2.5 mm² (~AWG 20-14)	Drive	Electropneumatic
Pulse time	approx. 1 s	Wire end ferrules cross-section, max.	2.5 mm ²
Wire end ferrules cross-section, min.	0.5 mm ²	Crimping length	8 mm
Consumables	Linked wire-end ferrules	Length of wire-end ferrule	14 mm
Compressed-air connection	5 - 5.5 bar	Electrical connection	100-240 V / 50/60 Hz / 25 VA

Classifications

ETIM 6.0	EC002778	ETIM 7.0	EC002778
ETIM 8.0	EC002778	ETIM 9.0	EC002778
ETIM 10.0	EC002778	ECLASS 9.0	17-13-01-01
ECLASS 9.1	17-13-01-01	ECLASS 10.0	17-13-01-01
ECLASS 11.0	17-13-01-01	ECLASS 12.0	17-13-01-01
ECLASS 13.0	17-13-01-01	ECLASS 14.0	17-13-01-01
ECLASS 15.0	17-13-01-01		

Catalogue status / Drawings 2



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Drawings









Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Accessories / replacement parts



- For automatic stripping and crimping
- Time-saving and efficient processing
- Easily adjustable to the respective cross-section range
- Stripping and crimping in one work step
- The processing of sleeves or contacts from other manufacturers can cause machine failures and defects!

General ordering data

GCIICIUI	oracinig aata	
Туре	CRIMPFIX MAGAZIN	Version
Order No.	2443370000	Accessories, Retaining clip
GTIN (EAN)	4050118457308	
Qty.	1 ST	
Туре	AIMESA CF U/L/LS SK TIN	Version
Order No.	1283530000	Automatic machines, Replacement part
GTIN (EAN)	4050118073676	
Qty.	1 ST	
Туре	AIMESA CF U/LS TIN	Version
Order No.	<u>1132150000</u>	Automatic machines, Replacement part
GTIN (EAN)	4032248920082	
Qty.	1 ST	
Туре	EXZ-SET CF L/LS V3	Version
Order No.	1484880000	Automatic machines, Replacement part
GTIN (EAN)	4050118293883	
Qty.	1 ST	
Туре	FESA CF L/LS V1	Version
Order No.	1454780000	Automatic machines, Replacement part
GTIN (EAN)	4050118260809	
Qty.	1 ST	
Туре	FESA CF L/LS V2	Version
Order No.	1454790000	Automatic machines, Replacement part
GTIN (EAN)	4050118260779	
Qty.	1 ST	
Туре	FESA TPE CF UNI	Version
Order No.	1454800000	Automatic machines, Replacement part
GTIN (EAN)	4050118260687	
Qty.	1 ST	
Туре	HUELSENTRENNMESSER	Version
Order No.	1298740000	Accessories, Replacement part
GTIN (EAN)	4050118097108	
Qty.	1 ST	
Туре	SCHRSA CF L/LS V1	Version
Order No.	1454740000	Automatic machines, Replacement part
GTIN (EAN)	4050118260670	
Qty.	1 ST	
Туре	SCHRSA CF L/LS V2	Version
Order No.	1454750000	Automatic machines, Replacement part
GTIN (EAN)	4050118260588	
Qty.	1 ST	

Creation date 05.07.2025 06:57:40 MEZ

Catalogue status / Drawings 4





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Accessories

Туре WTE CF L/LS V2/V3 Order No.

1424470000

4050118240276

Qty. 1 ST

GTIN (EAN)

Automatic machines, Replacement part

Catalogue status / Drawings